SAFETY DATA SHEET

Cat# BN00984, Trypsin Activity Colorimetric Assay Kit

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: **Trypsin Activity Colorimetric Assay Kit**

PRODUCT CODES: **Cat# BN00984**

MANUFACTURER: **Assay Genie (brand of Reagent Genie Ltd.)**

ADDRESS: **G1 The Steelworks, Foley Street, Dublin 1**

EMERGENCY PHONE: **+353 1 8879802**

SECTION 2: HAZARDS IDENTIFICATION

Component	Description	Volume	Safety Information
Trypsin Assay Buffer	Proprietary Buffer	25 ml	No hazards
Trypsin Substrate	In DMSO	200 µl	See below
Positive Control (~2 U)	Lyophilized (contains trypsin)	1 vial	See below
p-NA Standard (2 mM)	In DMSO	400 µl	See below
Trypsin Inhibitor (20 mM)	In DMSO	100 µl	See below
Chymotrypsin Inhibitor (10 mM)	In DMSO	100 µl	See below

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS Number	EC-No.	Molecular Weight	Chemical Formula
DMSO	67-68-5	200-664-3	78.13	C_2H_6OS
Trypsin	9002-07-7	232-650-8	--	--

DMSO:

Emergency Overview

OSHA Hazards: Combustible Liquid, Target Organ Effect

Target Organs: Eyes, Skin

GHS Classification: Flammable liquids (Category 4)

GHS Label elements, including precautionary statements

Pictogram: none

Signal word: Warning

Hazard statement(s): H227 Combustible liquid

Precautionary statement(s): none

HMIS Classification

- **Health hazard**: 0
- **Chronic Health Hazard**: *
- **Flammability**: 2
- **Physical hazards**: 0

NFPA Rating

- **Health hazard**: 0
- **Fire**: 2
- **Reactivity Hazard**: 0

Potential Health Effects

- **Inhalation:** May be harmful if inhaled. May cause respiratory tract irritation.
- **Skin:** May be harmful if absorbed through skin. May cause skin irritation.
- **Eyes:** May cause eye irritation.
- **Ingestion:** May be harmful if swallowed.

Aggravated Medical Condition: Avoid contact w/DMSO solutions containing toxic materials or materials with unknown toxicological properties. DMSO is readily absorbed through the skin and may carry such materials into the body.

Trypsin:

Emergency Overview

OSHA Hazards: Target organ effect, Skin and respiratory sensitizer, Irritant

Target Organs: Lungs

GHS Classification: Skin irritation (Category 2)
Eye irritation (Category 2A)
Respiratory sensitization (Category 1)
Skin sensitization (Category 1)
Specific target organ toxicity – single exposure (Category 3)

GHS Label elements, including precautionary statements

Pictogram:

Signal word: Danger

Hazard statement(s):
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335 May cause respiratory irritation.

Precautionary statement(s): P261 Avoid breathing dust/fumes/gas/mist/vapors/spray.
P280 Wear protective gloves/protective clothing.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

HMIS Classification
- **Health hazard**: 2
- **Chronic health hazard**: *
- **Flammability**: 0
- **Physical hazards**: 0

NFPA Rating
- **Health hazard**: 2
- **Fire**: 0
- **Reactivity Hazard**: 0

Potential Health Effects
- **Inhalation:** May be harmful if inhaled. Causes respiratory tract irritation.
- **Skin:** May be harmful if absorbed through skin. Causes skin irritation.
- **Eyes:** Causes eye irritation.
- **Ingestion:** May be harmful if swallowed.

SECTION 4: FIRST AID MEASURES

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
If inhaled: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
In case of skin contact: Wash off with soap and plenty of water. Consult a physician.
In case of eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
If swallowed: DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

SECTION 5: FIRE-FIGHTING MEASURES

DMSO:
Suitable extinguishing media: For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.
Special protective equipment for firefighters: Wear self-contained breathing apparatus for firefighting if necessary.
Hazardous combustion products: Hazardous combustion products formed under fire conditions – no data available.
Further information: Use water spray to cool unopened containers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist, or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.
Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
Methods for cleaning up: Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling
Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.
Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.
Recommended storage temperature: -20 °C

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

DMSO:

Components	CAS-No.	Value	Control parameters	Basis
Dimethyl sulfoxide	67-68-5	TWA	250 ppm	USA. Workplace Environmental Exposure Levels (WEEL)

Trypsin:
Contain no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Property	DMSO	Trypsin
Appearance:	Clear liquid	Beige powder
pH:	No data available	No data available
Water Solubility:	Completely miscible	No data available
Other Solubility:	No data available	No data available
Boiling Point (°C):	189 ºC (372 ºF)	No data available
Melting Point (°C):	16-19 ºC (61-66 ºF)	No data available
Flash Point (°C):	87 ºC (189 ºF)	No data available
Ignition Temperature (°C):	301 ºC (574 ºF)	No data available
Density:	1.1 g/ml	No data available

SECTION 10: STABILITY AND REACTIVITY

Property	Trypsin	DMSO
Chemical stability:	Stable under recommended storage conditions	
Conditions to avoid:	No data available	Heat, Flames, Sparks
Materials to avoid:	Strong oxidizing agents	Acid chlorides, Phosphorus halides, Strong acids, Strong oxidizing agents, Strong reducing agents
Hazardous decomposition products:	No data available	Carbon oxides, sulfur oxides

SECTION 11: TOXICOLOGICAL INFORMATION

DMSO:
Acute toxicity: LD50 Oral – rat – 14,500 mg/kg
LC50 Inhalation – rat – 4 h – 40250 ppm
LD50 Dermal – rabbit – >5,000 mg/kg
Skin corrosion/irritation: Skin – rabbit – no skin irritation – 4h
Serious eye damage/eye irritation: Eyes – rabbit – mild eye irritation

Respiratory or skin sensitization: no data available
Germ cell mutagenicity: Genotoxicity in vitro – mouse – lymphocyte: Cytogenetic analysis
Genotoxicity in vitro – mouse – lymphocyte: Mutation in mammalian somatic cells
Genotoxicity in vivo – rat – Intraperitoneal: Cytogenetic analysis
Genotoxicity in vivo – mouse – Intraperitoneal: DNA damage
Carcinogenicity: Carcinogenicity – rat – Oral Tumorigenic: equivocal tumorigenic agent by RTECS criteria. Skin and appendages: other: tumors.
Carcinogenicity – mouse – Oral Tumorigenic: equivocal tumorigenic agent by RTECS criteria. Leukemia skin and appendages: other: tumors.

IARC:	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH:	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP:	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA:	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: Reproductive toxicity – rat – Intraperitoneal Effects on fertility: abortion
Reproductive toxicity – rat – Intraperitoneal Effects on fertility: post-implantation mortality (e.g. dead and/or resorbed implants per total number of implants)
Reproductive toxicity – rat – Subcutaneous Effects on fertility: post-implantation mortality (e.g. dead and/or resorbed implants per total number of implants). Effects on fertility: litter size (e.g. # fetuses per litter; measured before birth)
Reproductive toxicity – mouse – Oral Effects on fertility: post-implantation mortality (e.g. reduction in number of implants per female; total number of implants per corpora lutea). Effects on embryo/fetus: Fetotoxicity (except death, e.g. stunted fetus). Specific developmental abnormalities: musculoskeletal system.
Teratogenicity: Developmental toxicity – mouse – Intraperitoneal: Effects on embryo/fetus: Fetotoxicity (except death, e.g. stunted fetus). Specific developmental abnormalities: musculoskeletal system
Specific target organ toxicity – single exposure (GHS): no data available
Specific target organ toxicity – repeated exposure (GHS): no data available
Aspiration hazard: no data available
Potential Health Effects
Inhalation: May be harmful if inhaled. May cause respiratory tract irritation.
Skin: May be harmful if absorbed through skin. May cause skin irritation.
Eyes: May cause eye irritation.
Ingestion: May be harmful if swallowed.
Aggravated Medical Condition: Avoid contact w/DMSO solutions containing toxic materials or materials with unknown toxicological properties. DMSO is readily absorbed through the skin and may carry such materials into the body.
Signs and Symptoms of Exposure: Effects due to ingestion may include: nausea, fatigue, and/or headache.
Additional information: RTECS: PV6210000

Trypsin:
Acute toxicity: LD50 Oral – rat – >5,000 mg/kg
Skin corrosion/irritation: no data available
Serious eye damage/eye irritation: no data available
Respiratory or skin sensitization: May cause allergic respiratory and skin reactions.
Germ cell mutagenicity: no data available
Carcinogenicity:

IARC:	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH:	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP:	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA:	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity: no data available
Teratogenicity: no data available
Specific target organ toxicity – single exposure (GHS): Inhalation – may cause respiratory irritation.
Specific target organ toxicity – repeated exposure (GHS): no data available
Aspiration hazard: no data available
Potential Health Effects
Inhalation: May be harmful if inhaled. Causes respiratory tract irritation.
Skin: May be harmful if absorbed through skin. Causes skin irritation.
Eyes: Causes eye irritation.
Ingestion: May be harmful if swallowed.
Signs and Symptoms of Exposure: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.
Additional information: RTECS: YN5075000

SECTION 12: ECOLOGICAL INFORMATION

DMSO:
Elimination information (persistence and degradability): no data available
Ecotoxicity effects: Toxicity to fish: LC50 - Pimephales promelas (fathead minnow) - 34,000 mg/l - 96 h; LC50 - Oncorhynchus mykiss (rainbow trout) - 35,000 mg/l - 96 h
Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia pulex (Water flea) - 27,500 mg/l
Toxicity to algae: EC50 - Lepomis macrochirus (Bluegill) - > 400,000 mg/l - 96 h
Further information on ecology: no data available

SECTION 13: DISPOSAL CONSIDERATIONS

Product: Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.
Contaminated packaging: Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

DMSO:
DOT (US): UN-Number: 1993 Class: CBL Packing group: III; Proper shipping name: Combustible liquid, n.o.s. (Dimethyl sulfoxide); Marine pollutant: No; Poison Inhalation Hazard: No
IMDG: Not dangerous goods.
IATA: Not dangerous goods.

Trypsin:
DOT (US): Not dangerous goods.
IMDG: Not dangerous goods.
IATA: Not dangerous goods.

SECTION 15: REGULATORY INFORMATION

OSHA Hazards: DMSO: Combustibile liquid, Target organ effect
Trypsin: Target organ effect, Skin and respiratory sensitizer, Irritant
SARA 302 Components: SARA 302: No chemical in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313 Components: The following components are subject to reporting levels established by SARA Title II, Section 313:
SARA 311/312 Hazards: Trypsin: Acute Health Hazard, Chronic Health Hazard
DMSO: Fire Hazard, Chronic Health Hazard
Massachusetts Right To Know Components:
Pennsylvania Right To Know Components: Dimethyl sulfoxide CAS-No. 67-68-5
Trypsin, CAS-No. 9002-07-7
New Jersey Right To Know Components: Dimethyl sulfoxide CAS-No. 67-68-5
Trypsin, CAS-No. 9002-07-7
California Prop. 65 Components: This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

EU regulations

Component	Risk Phrases	Safety Phrases
DMSO	R10, R36/37/38	S24/25, S36/37/39, S45
Trypsin	R36/37/38, R42/43	S22, S24, S26, S36/37, S45

SECTION 16: OTHER INFORMATION

DISCLAIMER:
The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Assay Genie shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.