

# SAFETY DATA SHEET

Cat# BN01102 Human Whole Blood Monocyte Isolation Kit

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Human Whole Blood Monocyte Isolation Kit  
**PRODUCT CODES:** Cat# BN01102  
**MANUFACTURER:** Assay Genie (brand of Reagent Genie Ltd.)  
**ADDRESS:** G1 The Steelworks, Foley Street, Dublin 1  
**EMERGENCY PHONE:** +353 1 8879802

## SECTION 2: COMPOSITION/INFORMATION ON INGREDIENTS

| Component                                | Description       | Volume    | Safety Information |
|--|-------------------|-----------|--------------------|
| Monocyte Isolation Buffer (MIB)          | Liquid            | 115 ml    | No hazards         |
| Monocyte Density Gradient Media (MDGM)   | Liquid            | 25 ml     | No hazards         |
| 54% Density Media                        | Liquid            | 15 ml     | No hazards         |
| Viability Stain                          | Liquid            | 200 µl    | No hazards         |
| Blunt-end needle 18 G; 1.5 in. (Sterile) | --                | 10 pieces | No hazards         |
| Giemsa Stain                             | Contains Methanol | 7 ml      | See below          |

### Methanol:

#### Emergency Overview

**OSHA Hazards:** Flammable liquid, Target organ effect, Toxic by inhalation, Toxic by ingestion, Toxic by skin absorption, Irritant

**Target Organs:** Eyes, Kidney, Liver, Heart, Central nervous system

#### GHS Classification:

Flammable liquids (Category 2)  
Acute toxicity, Oral (Category 3)  
Acute toxicity, Inhalation (Category 3)  
Acute toxicity, Dermal (Category 3)  
Skin irritation (Category 2)  
Eye irritation (Category 2A)  
Specific target organ toxicity – single exposure (Category 1)

#### GHS Label elements, including precautionary statements



#### Pictogram:

#### Signal word:

Danger

#### Hazard statement(s):

H225 Highly flammable liquid and vapor  
H301+H311 Toxic if swallowed or in contact with skin.  
H315 Causes skin irritation.  
H319 Causes serious eye irritation.  
H331 Toxic if inhaled.  
H370 Causes damage to organs.

#### Precautionary statement(s):

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P260 Do not breathe dust/fume/gas/mist/vapors/spray.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.  
P303+P361+P353 IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P307+P311 IF exposed: Call a POISON CENTER or doctor/physician.

#### HMIS Classification

Health hazard: 2

Fire hazard: \*

# SAFETY DATA SHEET

## Cat# BN01102 Human Whole Blood Monocyte Isolation Kit

Flammability: 3

Physical hazards: 0

### NFPA Rating

Health Hazard: 2

Fire: 3

Reactivity Hazard: 0

### Potential Health Effects

**Inhalation:** Toxic if inhaled. Causes respiratory tract irritation.

**Skin:** Toxic if absorbed through skin. Causes skin irritation.

**Eyes:** Causes eye irritation.

**Ingestion:** Toxic if swallowed.

## SECTION 3: HAZARDS IDENTIFICATION

| Component | CAS Number | EC-No.    | Molecular Weight | Chemical Formula  |
|-----------|------------|-----------|------------------|-------------------|
| Methanol  | 67-56-1    | 200-659-6 | 32.04            | CH <sub>4</sub> O |

## SECTION 4: FIRST AID MEASURES

**General advice:** Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

**If inhaled:** If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**In case of skin contact:** Wash off with soap and plenty of water. Consult a physician.

**In case of eye contact:** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

**If swallowed:** DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## SECTION 5: FIRE-FIGHTING MEASURES

### Methanol:

**Condition of flammability:** Flammable in the presence of a source of ignition when the temperature is above the flash point. Keep away from heat/sparks/open flame/hot surface. No smoking.

**Suitable extinguishing media:** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**Special protective equipment for fire-fighters:** Wear self-contained breathing apparatus for firefighting if necessary.

**Hazardous combustion products:** Hazardous decomposition products formed under fire conditions— see section 10.

**Further information:** Use water spray to cool unopened containers.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist, or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

**Environmental precautions:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

**Methods for cleaning up:** Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

## SECTION 7: HANDLING AND STORAGE

### **Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Use explosion-proof equipment. Keep away from sources of ignition (no smoking). Take measures to prevent the buildup of electrostatic charge.

### **Conditions for safe storage**

Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature: 4°C

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### Methanol:

| Components | CAS-No.   | Value | Control parameters | Basis                                   |
|------------|---|-------|--------------------|---|
| Methanol   | 67-56-1   | TWA   | 200 ppm            | USA. ACGIH Threshold Limit Values (TLV) |
| Remarks:   | Headache. Eye damage. Substances for which there is a Biological Exposure Index or Indices. Danger of cutaneous absorption. |       |                    |   |
|            |   | STEL  | 250 ppm            | USA. ACGIH Threshold Limit Values (TLV) |

# SAFETY DATA SHEET

## Cat# BN01102 Human Whole Blood Monocyte Isolation Kit

|  |      |                                  |  |
|--|------|----------------------------------|--|
| Headache. Eye damage. Substances for which there is a Biological Exposure Index or Indices (see BEI ® section).<br>Danger of cutaneous absorption. |      |                                  |  |
|  | TWA  | 200 ppm<br>260 mg/m <sup>3</sup> | USA. OSHA – Table Z-1 Limits for Air Contaminants – 1910.1000                    |
| Skin notation.   |      |                                  |  |
|  | STEL | 250 ppm<br>325 mg/m <sup>3</sup> | USA. OSHA – Table Z-1 Limits for Air Contaminants – 1910.1000                    |
| Skin notation.   |      |                                  |  |
|  | TWA  | 200 ppm<br>260 mg/m <sup>3</sup> | USA. Occupational Exposure Limits (OSHA) – Table Z-1 Limits for Air Contaminants |
| The value in mg/m <sup>3</sup> is approximate.   |      |                                  |  |
|  | TWA  | 200 ppm<br>260 mg/m <sup>3</sup> | USA. NIOSH recommended exposure limits   |
| Potential for dermal absorption.   |      |                                  |  |

### Protective Equipment

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Eye protection

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin and body protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

| Property                          | Methanol                    |
|-----------------------------------|-----------------------------|
| <b>Appearance:</b>                | Clear liquid                |
| <b>pH:</b>                        | No data available           |
| <b>Water Solubility:</b>          | Completely soluble          |
| <b>Other Solubility:</b>          | No data available           |
| <b>Boiling Point (°C):</b>        | 64.7 °C (148.5 °F)          |
| <b>Melting Point (°C):</b>        | -98 °C (-144 °F)            |
| <b>Flash Point (°C):</b>          | 11.0 °C (51.8 °F)           |
| <b>Ignition Temperature (°C):</b> | 455 °C (851 °F)             |
| <b>Density:</b>                   | 0.791 g/ml at 25 °C (77 °F) |

---

## SECTION 10: STABILITY AND REACTIVITY

---

| Property                                 | Methanol   |
|--|--|
| <b>Chemical stability:</b>               | Stable under recommended storage conditions  |
| <b>Conditions to avoid:</b>              | Heat, flames, sparks, extreme temperatures, direct sunlight                              |
| <b>Materials to avoid:</b>               | Acid chlorides, acid anhydrides, oxidizing agents, alkali metals, reducing agents, acids |
| <b>Hazardous decomposition products:</b> | Carbon oxides  |

# SAFETY DATA SHEET

Cat# BN01102 Human Whole Blood Monocyte Isolation Kit

## SECTION 11: TOXICOLOGICAL INFORMATION

---

### **Methanol:**

**Acute toxicity:** LD50 Oral – rat – 5,628 mg/kg

LC50 Inhalation – rat – 4 h – 64000 ppm

LC50 Inhalation – rat – 4 h – 87.6 mg/l

LD50 Dermal – rabbit – 15,800 mg/kg

**Skin corrosion/irritation:** Skin – rabbit – no skin irritation

**Serious eye damage/eye irritation:** Eyes – rabbit – no eye irritation

**Respiratory or skin sensitization:** Guinea pig – OECD Test Guideline 406 – does not cause skin sensitization.

**Germ cell mutagenicity:** Genotoxicity in vitro – non-mammalian – other cell types – negative

Genotoxicity in vivo – mouse – male and female – intraperitoneal - negative

### **Carcinogenicity:**

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** no data available

**Teratogenicity:** no data available

**Specific target organ toxicity – single exposure (GHS):** Causes damage to organs.

**Specific target organ toxicity – repeated exposure (GHS):** no data available

### **Potential Health Effects**

**Inhalation:** Toxic if inhaled. Causes respiratory tract irritation.

**Skin:** Toxic if absorbed through skin. Causes skin irritation.

**Eyes:** Causes eye irritation.

**Ingestion:** Toxic if swallowed.

**Signs and Symptoms of Exposure:** Methyl alcohol may be fatal or cause blindness if swallowed. Cannot be made non-poisonous.

Effects due to ingestion may include: nausea, headache, vomiting, gastrointestinal disturbance, dizziness, weakness, confusion, drowsiness, unconsciousness. May cause convulsions.

**Additional information:** Repeated dose toxicity – monkey – Gavage – 72 h □ lowest observed adverse effect level – 2,340 mg/kg

RTECS: PC1400000

---

## SECTION 12: ECOLOGICAL INFORMATION

---

### **Methanol:**

**Persistence and degradability:** Biodegradability (aerobic) □ Result: 72% - rapidly biodegradable

### **Toxicity:**

**Toxicity to fish** □ LC50 – Oncorhynchus mykiss (rainbow trout) – 19,000 mg/l – 96 h

Mortality LC50 – Lepomis macrochirus (Bluegill) – 15,400 mg/l – 96 h

**Toxicity to daphnia and other aquatic invertebrates** □ EC50 – Daphnia magna (Water flea) – 24,500 mg/l – 48 h

EC100 – Daphnia magna (Water flea) – 10,000 mg/l – 24 h

**Toxicity to algae** □ Growth inhibition EC50 – Scenedesmus capricornutum (freshwater algae) – 22,000 mg/l

**Bioaccumulative potential:** Bioaccumulation □ Cyprinus carpio (Carp) – 72 d at 20 °C; Bioconcentration factor (BCF): 1.0

**Mobility in soil:** Will not adsorb on soil.

**PBT and vPvB assessment:** no data available

**Other adverse effects:** no data available

---

## SECTION 13: DISPOSAL CONSIDERATIONS

---

**Product:** Observe all federal, state, and local environmental regulations.

**Contaminated packaging:** Dispose of as unused product.

---

## SECTION 14: TRANSPORT INFORMATION

---

### **Methanol:**

**DOT (US):** UN-number: 1230, Class: 3, Packing group: II; Proper shipping name: Methanol; Reportable Quantity (RQ): 5000 lbs.; Marine pollutant: No; Poison inhalation hazard: No

**IMDG:** UN-number: 1230, Class: 3 (6.1), Packing group: II; EMS-No: F-E, S-D; Proper shipping name: METHANOL; Marine pollutant: No

**IATA:** UN-number: 1230, Class: 3(6.1), Packing group: II; Proper shipping name: Methanol

# SAFETY DATA SHEET

Cat# BN01102 Human Whole Blood Monocyte Isolation Kit

---

## SECTION 15: REGULATORY INFORMATION

---

**SARA 302 Components:** SARA 302: The following components are subject to reporting levels established by SARA Title III, Section 302  
Formaldehyde, CAS-No. 50-00-0; Revision Date: 2007-07-01

**SARA 313 Components:** The following components are subject to reporting levels established by SARA Title II, Section 313:

Methanol, CAS-No. 67-56-1; Revision Date: 2007-07-01

**SARA 311/312 Hazards:**

Methanol: Fire Hazard, Acute Health Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components:**

Methanol, CAS-No. 67-56-1; Revision Date: 2007-07-01

**Pennsylvania Right To Know Components:**

Methanol, CAS-No. 67-56-1; Revision Date: 2007-07-01

**New Jersey Right To Know Components:**

Methanol, CAS-No. 67-56-1; Revision Date: 2007-07-01

**California Prop. 65 Components:** This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

**EU regulations:**

| Component | Risk Phrases        | Safety Phrases           |
|-----------|---------------------|--------------------------|
| Methanol  | R11, R23/24/25, R33 | S16, S24/25, S36/37, S45 |

---

## SECTION 16: OTHER INFORMATION:

---

**OTHER INFORMATION:**

**PREPARATION INFORMATION:**

**DISCLAIMER:**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Assay Genie shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.