

# SAFETY DATA SHEET

Cat# BN01113 Triglyceride Quantification Colorimetric Assay Kit (384-well)

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** Triglyceride Quantification Colorimetric Assay Kit (384-well)

**PRODUCT CODES:** Cat# BN01113

**MANUFACTURER:** Assay Genie (brand of Reagent Genie Ltd.)

**ADDRESS:** G1 The Steelworks, Foley Street, Dublin 1

**EMERGENCY PHONE:** +353 1 8879802

## SECTION 2: HAZARDS IDENTIFICATION

Component	Description	Volume	Safety Information
Triglyceride Assay Buffer	Proprietary Buffer	25 ml	No Hazards
Triglyceride Probe (in DMSO, anhydrous)	In DMSO	800 µl	See below
Lipase (lyophilized)	-	1 vial	No Hazards
Triglyceride Enzyme Mix (lyophilized)	-	1 vial	No Hazards
Triglyceride Standard (1 mM)	Contains NP-40	1.2 ml	See below

### NP-40:

#### Emergency Overview

**GHS Classification:** Acute toxicity, Oral (Category 4)  
Skin irritation (Category 3)

**GHS Label elements, including precautionary statements**

**Pictogram:**



**Signal word:** Warning

**Hazard statement(s):** H319 Causes serious eye irritation

**Precautionary statement(s):** P280 Wear protective gloves/ eye protection/ face protection.  
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor/ physician.

#### HMIS Classification

**Health hazard:** 1

**Flammability:** 0

**Physical hazards:** 0

#### NFPA Rating

**Health Hazard:** 1

**Fire:** 0

**Reactivity Hazard:** 0

#### Potential Health Effects

**Inhalation:** May be harmful if inhaled. Causes respiratory tract irritation.

**Skin:** Harmful if absorbed through skin. Causes skin irritation.

**Eyes:** Causes eye irritation.

**Ingestion:** Harmful if swallowed.

### DMSO:

#### Emergency Overview

**OSHA Hazards:** Combustible Liquid, Target Organ Effect

**Target Organs:** Eyes, Skin

**GHS Classification:** Flammable liquids (Category 4)

**GHS Label elements, including precautionary statements**

**Pictogram:** none

**Signal word:** Warning

**Hazard statement(s):** H227 Combustible liquid

**Precautionary statement(s):** none

# SAFETY DATA SHEET

Cat# BN01113 Triglyceride Quantification Colorimetric Assay Kit (384-well)

## HMIS Classification

Health hazard: 0

Chronic Health Hazard: \*

Flammability: 2

Physical hazards: 0

## NFPA Rating

Health hazard: 0

Fire: 2

Reactivity Hazard: 0

## Potential Health Effects

**Inhalation:** May be harmful if inhaled. May cause respiratory tract irritation.

**Skin:** May be harmful if absorbed through skin. May cause skin irritation.

**Eyes:** May cause eye irritation.

**Ingestion:** May be harmful if swallowed.

**Aggravated Medical Condition:** Avoid contact w/DMSO solutions containing toxic materials or materials with unknown toxicological properties. DMSO is readily absorbed through skin and may carry such materials into the body.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS Number	EC-No.	Molecular Weight	Chemical Formula
NP-40	9016-45-9	500-024-6	680.0	--
DMSO	67-68-5	200-664-3	78.13	C <sub>2</sub> H <sub>6</sub> OS

## SECTION 4: FIRST AID MEASURES

**General advice:** Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

**If inhaled:** If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

**In case of skin contact:** Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

**In case of eye contact:** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing during transport to hospital.

**If swallowed:** DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## SECTION 5: FIRE-FIGHTING MEASURES

### DMSO:

**Suitable extinguishing media:** For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

**Special protective equipment for firefighters:** Wear self-contained breathing apparatus for firefighting if necessary.

**Hazardous combustion products:** Hazardous combustion products formed under fire conditions – no data available.

**Further information:** Use water spray to cool unopened containers.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Use personal protective equipment. Avoid dust formation. Avoid breathing vapors, mist, or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

**Environmental precautions:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

**Methods for cleaning up:** Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

## SECTION 7: HANDLING AND STORAGE

### Precautions for safe handling

Avoid inhalation of vapor or mist. Avoid contact with skin and eyes.

### Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage temperature: -20 °C

# SAFETY DATA SHEET

Cat# BN01113 Triglyceride Quantification Colorimetric Assay Kit (384-well)

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### DMSO:

Components	CAS-No.	Value	Control parameters	Basis
Dimethyl sulfoxide	67-68-5	TWA	250 ppm	USA. Workplace Environmental Exposure Levels (WEEL)

### NP-40:

Contains no substances with occupational exposure limit values.

#### Personal protective equipment

##### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

##### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

##### Eye protection

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

##### Skin and body protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

##### Hygiene measures

Avoid contact with skin, eyes, and clothing. Wash hands before breaks and immediately after handling the product.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Property	NP-40	DMSO
Appearance:	Liquid	Clear liquid
pH:	6 at 10 g/l	No data available
Water Solubility:	No data available	Completely miscible
Other Solubility:	No data available	No data available
Boiling Point (°C):	No data available	189 °C (372 °F)
Melting Point (°C):	57-58 °C (135-136 °F)	16-19 °C (61-66 °F)
Flash Point (°C):	113 °C (235 °F)	87 °C (189 °F)
Ignition Temperature (°C):	No data available	301 °C (574 °F)
Density:	1.06 g/ml at 20 °C (68 °F)	1.1 g/ml

## SECTION 10: STABILITY AND REACTIVITY

Property	NP-40	DMSO
Chemical stability:	Stable under recommended storage conditions	
Conditions to avoid:	Not data available	Heat, flames, sparks
Materials to avoid:	Strong oxidizing agents	Acid chlorides, phosphorus halides, strong acids, strong oxidizing agents, strong reducing agents
Hazardous decomposition products:	No data available	Carbon oxides, sulfur oxides

## SECTION 11: TOXICOLOGICAL INFORMATION

### NP-40:

**Acute toxicity:** no data available

**Skin corrosion/irritation:** Skin – rabbit – mild skin irritation.

**Serious eye damage/eye irritation:** Eyes – rabbit – severe eye irritation.

**Respiratory or skin sensitization:** Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

**Germ cell mutagenicity:** no data available

**Carcinogenicity:**

# SAFETY DATA SHEET

## Cat# BN01113 Triglyceride Quantification Colorimetric Assay Kit (384-well)

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** no data available

**Teratogenicity:** no data available

**Specific target organ toxicity – single exposure (GHS):** Inhalation – may cause respiratory irritation.

**Specific target organ toxicity – repeated exposure (GHS):** no data available

**Aspiration hazard:** no data available

### Potential Health Effects

**Inhalation:** May be harmful if inhaled. Causes respiratory tract irritation.

**Skin:** Harmful if absorbed through skin. Causes skin irritation.

**Eyes:** Causes eye irritation.

**Ingestion:** Harmful if swallowed.

**Signs and Symptoms of Exposure:** Exposure may cause nausea, headache, and/or vomiting. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

**Synergistic effects:** no data available

**Additional information:** RTECS: AX0247000

### DMSO:

**Acute toxicity:** LD50 Oral – rat – 14,500 mg/kg

LC50 Inhalation – rat – 4 h – 40250 ppm

LD50 Dermal – rabbit – >5,000 mg/kg

**Skin corrosion/irritation:** Skin – rabbit – no skin irritation – 4h

**Serious eye damage/eye irritation:** Eyes – rabbit – mild eye irritation

**Respiratory or skin sensitization:** no data available

**Germ cell mutagenicity:** Genotoxicity in vitro – mouse – lymphocyte: Cytogenetic analysis

Genotoxicity in vitro – mouse – lymphocyte: Mutation in mammalian somatic cells

Genotoxicity in vivo – rat – Intraperitoneal: Cytogenetic analysis

Genotoxicity in vivo – mouse – Intraperitoneal: DNA damage

**Carcinogenicity:** Carcinogenicity – rat – Oral ☐ Tumorigenic: equivocal tumorigenic agent by RTECS criteria. Skin and appendages: other: tumors.

Carcinogenicity – mouse – Oral ☐ Tumorigenic: equivocal tumorigenic agent by RTECS criteria. Leukemia skin and appendages: other: tumors.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**Reproductive toxicity:** Reproductive toxicity – rat – Intraperitoneal ☐ Effects on fertility: abortion

Reproductive toxicity – rat – Intraperitoneal ☐ Effects on fertility: post-implantation mortality (e.g. dead and/or resorbed implants per total number of implants)

Reproductive toxicity – rat – Subcutaneous ☐ Effects on fertility: post-implantation mortality (e.g. dead and/or resorbed implants per total number of implants). Effects on fertility: litter size (e.g. # fetuses per litter; measured before birth)

Reproductive toxicity – mouse – Oral ☐ Effects on fertility: post-implantation mortality (e.g. reduction in number of implants per female; total number of implants per corpora lutea). Effects on embryo/fetus: Fetotoxicity (except death, e.g. stunted fetus). Specific developmental abnormalities: musculoskeletal system.

**Teratogenicity:** Developmental toxicity – mouse – Intraperitoneal: Effects on embryo/fetus: Fetotoxicity (except death, e.g. stunted fetus).

Specific developmental abnormalities: musculoskeletal system

**Specific target organ toxicity – single exposure (GHS):** no data available

**Specific target organ toxicity – repeated exposure (GHS):** no data available

**Aspiration hazard:** no data available

### Potential Health Effects

**Inhalation:** May be harmful if inhaled. May cause respiratory tract irritation.

**Skin:** May be harmful if absorbed through skin. May cause skin irritation.

**Eyes:** May cause eye irritation.

**Ingestion:** May be harmful if swallowed.

**Aggravated Medical Condition:** Avoid contact w/DMSO solutions containing toxic materials or materials with unknown toxicological properties. DMSO is readily absorbed through skin and may carry such materials into the body.

**Signs and Symptoms of Exposure:** Effects due to ingestion may include: nausea, fatigue, and/or headache.

**Additional information:** RTECS: PV6210000

# SAFETY DATA SHEET

## Cat# BN01113 Triglyceride Quantification Colorimetric Assay Kit (384-well)

---

### SECTION 12: ECOLOGICAL INFORMATION

---

#### **NP-40:**

**Persistence and degradability:** Biodegradability ☐ Result: 86% - readily biodegradable; Method: modified Sturm test

#### **Toxicity:**

**Toxicity to fish** ☐ mortality LOEC – Pimephales promelas (fathead minnow) – 2.0 mg/l – 144 h

Mortality LOEC – Pimephales promelas (fathead minnow) – 1.8 mg/l – 144 h

LC50 – Lepomis macrochirus (Bluegill) – 1.0-9.7 mg/l – 96 h

**Toxicity to daphnia and other aquatic invertebrates** ☐ mortality LOEC 0 Daphnia magna (water flea) – 10.0 mg/l – 144 h

EC50- Daphnia magna (water flea) – 20.0 mg/l – 144 h

**Toxicity to algae** ☐ Growth inhibition LOEC – Pseudokirchneriella subcapitata – 16.0 mg/l – 96 h

Growth inhibition LOEC – Pseudokirchneriella subcapitata – 8.0 mg/l – 96 h

**Bioaccumulative potential:** Does not bioaccumulate

**Mobility in soil:** no data available

**PBT and vPvB assessment:** no data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life.

#### **DMSO:**

**Elimination information (persistence and degradability):** no data available

**Ecotoxicity effects:** Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 34,000 mg/l - 96 h; LC50 - Oncorhynchus mykiss (rainbow trout) - 35,000 mg/l - 96 h; Toxicity to daphnia and other aquatic invertebrates.; EC50 - Daphnia pulex (Water flea) - 27,500 mg/l  
Toxicity to algae EC50 - Lepomis macrochirus (Bluegill) - > 400,000 mg/l - 96 h

**Further information on ecology:** no data available

---

### SECTION 13: DISPOSAL CONSIDERATIONS

---

**Product:** Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

**Contaminated packaging:** Dispose of as unused product.

---

### SECTION 14: TRANSPORT INFORMATION

---

#### **NP-40:**

**DOT (US):** Not dangerous goods.

**IMDG:** UN- number: 3082, Class: 9; Packing group: III; EMS-No. F-A, S-F; Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (4-Nonylphenyl-polyethylene glycol); Marine pollutant: Yes

**IATA:** UN-number: 3082, Class: 9; Packing group: III; Proper shipping name: Environmentally hazardous substance, liquid, n.o.s. (4-Nonylphenyl-polyethylene glycol)

**Further information:** EHS-Mark required (ADR 2.2.9.1.10, IMDG code 2.10.3) for single packaging and combination packaging containing inner packaging with Dangerous Goods > 5L for liquids or >5 kg for solids.

#### **DMSO:**

**DOT (US):** UN-Number: 1993, Class: CBL, Packing group: III; Proper shipping name: Combustible liquid, n.o.s. (Dimethyl sulfoxide); Marine pollutant: No; Poison Inhalation Hazard: No

**IMDG:** Not dangerous goods.

**IATA:** Not dangerous goods.

---

### SECTION 15: REGULATORY INFORMATION

---

**SARA 302 Components:** SARA 302: No chemical in this material are subject to the reporting requirements of SARA Title III, Section 302.

**SARA 313 Components:** SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title II, Section 313.

**SARA 311/312 Hazards:** NP-40: Acute Health Hazard

**DMSO:** Fire Hazard, Chronic Health Hazard

**Massachusetts Right To Know Components:** No components are subject to the Massachusetts Right to Know Act.

**Pennsylvania Right To Know Components:** NP-40, CAS-No. 9016-45-9

Dimethyl sulfoxide CAS-No. 67-68-5

**New Jersey Right To Know Components:** NP-40, CAS-No. 9016-45-9

Dimethyl sulfoxide CAS-No. 67-68-5

**California Prop. 65 Components:** This product does not contain any chemicals known to the State of California to cause cancer, birth defects, or any other reproductive harm.

# SAFETY DATA SHEET

Cat# BN01113 Triglyceride Quantification Colorimetric Assay Kit (384-well)

EU regulations:

Component	Risk Phrases	Safety Phrases
NP-40	R22, R37/38, R41, R50	S23, S29, S36/37/39, S45, S56, S61
DMSO	R10, R36/37/38	S24/25, S36/37/39, S45

---

## SECTION 16: OTHER INFORMATION

---

### DISCLAIMER:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Assay Genie shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.