

Recombinant Protein Technical Manual

Recombinant Human TMED1 Protein (His Tag)(Active) RPES0307

Product Data:

Product SKU: RPES0307 **Size:** 20μg

Species: Human Expression host: HEK293 Cells

Uniprot: Q13445

Protein Information:

Molecular Mass: 20.6 kDa

AP Molecular Mass: 28 kDa

Tag: C-His

Bio-activity: Measured by its binding ability in a functional ELISA.2. Immobilized human

TMED1-His at 10µg/mL (100µL/well) can bind human IL1R4-Fc, the EC50 of human

IL1R4-Fc is 8-50ng/mL.

Purity: > 90 % as determined by reducing SDS-PAGE.

Endotoxin: < 1.0 EU per μg as determined by the LAL method.

Storage: Lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C.

Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

Shipping: This product is provided as lyophilized powder which is shipped with ice packs.

Formulation: Lyophilized from sterile PBS, pH 7.4

Reconstitution: Please refer to the printed manual for detailed information.

Application: Functional ELISA

Synonyms: Il1rl1l;IL1RL1LG;Tp24

Immunogen Information:

Sequence: Met 1-Asn194

Background:

TMED1 belongs to the EMP24/GP25L family. It contains 1 GOLD domain and is widely expressed. TMED1 binds to its receptor IL1RL1 and results in the activation of DNA binding by nuclear factor NF-kappa-B or transcription from the IL8 promoter and most likely requires other proteins to elicit these activities. Dendritic cells from Peyer's patches (but not from spleen) express TMED1 in response to treatment with LPS. TMED1 may play a role in vesicular protein trafficking, mainly in the early secretory pathway. It may act as a cargo receptor at the lumenal side for incorporation of secretory cargo molecules into transport vesicles and may be involved in vesicle coat formation at the cytoplasmic side.