

Recombinant Protein Technical Manual Recombinant Human Cerberus/CER1 Protein (His Tag) RPES0393

Product Data:

Product SKU: RPES0393 **Size:** 10μg

Species: Human Cells

Uniprot: 095813

Protein Information:

Molecular Mass: 29.2 kDa

AP Molecular Mass: 35-42 kDa

Tag: C-6His

Bio-activity:

Purity: > 90 % as determined by reducing SDS-PAGE.

Endotoxin: $< 1.0 \text{ EU per } \mu\text{g}$ as determined by the LAL method.

Storage: Lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C.

Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of

reconstituted samples are stable at < -20°C for 3 months.

Shipping: This product is provided as lyophilized powder which is shipped with ice packs.

Formulation: Lyophilized from a 0.2 µm filtered solution of 20mM HAc.

Reconstitution: Please refer to the printed manual for detailed information.

Application:

Synonyms: Cerberus; Cerberus-Related Protein; DAN Domain Family Member 4; CER1; DAND4

Immunogen Information:

Sequence: Thr18-Ala267

Background:

Cerberus 1 is a secreted glycoprotein that forms disulfide-linked homodimers. It is a cytokine member of the DAN domain family of BMP antagonists that includes DAN (DAND1), Gremlin/Drm (DAND2), PRDC (Protein Related to Dan and Cerberus, DAND3), and COCO/Dante (DAND5). DAN family members contain a cysteine knot domain that is homologous to that found in other TGF-beta superfamily ligands. At the onset of gastrulation, Cerberus 1 is transiently expressed in anterior endodermal structures in response to Nodal and Shh. Cerberus 1 binds BMP-4 and Nodal and inhibits their activities. The inhibitory functions of Cerberus favor mesodermal development in the anterior region of the gastrula and suppresses posterior mesodermal differentiation. In chick and Xenopus, Cerberus 1 also regulates, but is not required for embryonic left-right polarization, neurulation, and head and heart induction.