



Recombinant Protein Technical Manual  
Recombinant Human CXADR/CAR Protein (His Tag)  
RPES1112

### Product Data:

**Product SKU:** RPES1112

**Size:** 10µg

**Species:** Human

**Expression host:** Human Cells

**Uniprot:** P78310

### Protein Information:

**Molecular Mass:** 25.1 kDa

**AP Molecular Mass:** 32 kDa

**Tag:** C-6His

**Bio-activity:**

**Purity:** > 95 % as determined by reducing SDS-PAGE.

**Endotoxin:** < 1.0 EU per µg as determined by the LAL method.

**Storage:** Lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.

**Shipping:** This product is provided as lyophilized powder which is shipped with ice packs.

**Formulation:** Lyophilized from a 0.2 µm filtered solution of 20mM PB, 150mM NaCl, pH 7.2.

**Reconstitution:** Please refer to the printed manual for detailed information.

**Application:**

**Synonyms:** Coxsackievirus and Adenovirus Receptor; CAR; hCAR; CVB3-Binding Protein; Coxsackievirus B-Adenovirus Receptor; HCVADR; CXADR; CAR

## Immunogen Information:

**Sequence:** Leu20-Gly237

## Background:

Coxsackievirus and Adenovirus Receptor (CAR) belongs to the CTX family of the Ig superfamily. CXADR is a type I transmembrane glycoprotein and expressed in pancreas, brain, heart, small intestine, testis, prostate. It is a receptor that mediates gene transfer and also act as an adhesion molecule within junctional complexes, notably between epithelial cells lining body cavities and within myocardial intercalated discs. CXADR contains an extracellular domain, a transmembrane helix and a C-terminal intracellular domain. The C-terminal interacts with few cytoplasmic junctional proteins, microtubules and the actin cytoskeleton.