

Recombinant Protein Technical Manual Recombinant Human ACY1/Aminoacylase Protein (His Tag) RPES2117

Product Data:

Product SKU: RPES2117

Species: Human

Size: 20µg

Expression host: Baculovirus-Insect Cells

Uniprot: NP_000657.1

Protein Information:

Molecular Mass:	47.3 kDa
AP Molecular Mass:	44 kDa
Tag:	C-His
Bio-activity:	
Purity:	> 95 % as determined by reducing SDS-PAGE.
Endotoxin:	< 1.0 EU per μg as determined by the LAL method.
Storage:	Lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.
Shipping:	This product is provided as lyophilized powder which is shipped with ice packs.
Formulation:	Lyophilized from sterile 50mM Tris, 100mM NaCl, pH 8.0, 10% glycerol
Reconstitution:	Please refer to the printed manual for detailed information.
Application:	
Synonyms:	ACY;ACY1D;HEL-S-5

Sequence: Met 1-Ser 408

Background:

Aminoacylase 1 (ACY1), a metalloenzyme that removes amide-linked ACY1 groups from amino acids and may play a role in regulating responses to oxidative stress. Both the C-terminal fragment found in the two-hybrid screen and full-length ACY1 co-immunoprecipitate with SphK1. Though both C-terminal and full-length proteins slightly reduce SphK1 activity measured in vitro, the C-terminal fragment inhibits while full-length ACY1 potentiates the effects of SphK1 on proliferation and apoptosis. It suggested that ACY1 physically interacts with SphK1 and may influence its physiological functions. As a homodimeric zinc-binding enzyme, Aminoacylase 1 catalyzes the hydrolysis of N alpha-acylated amino acids. Deficiency of Aminoacylase 1 due to mutations in the Aminoacylase 1 (ACY1) gene follows an autosomal-recessive trait of inheritance and is characterized by accumulation of N-acetyl amino acids in the urine.