

Recombinant Protein Technical Manual Recombinant Cynomolgus PD/CD279/PDCD1 Protein (Fc Tag) RPES2836

Product Data:

Product SKU: RPES2836 **Size:** 10μg

Species: Cynomolgus Expression host: Human Cells

Uniprot: B0LAJ3

Protein Information:

Molecular Mass: 42.9 kDa

AP Molecular Mass: 60-75 kDa

Tag: C-Fc

Bio-activity:

Purity: > 95% as determined by reducing SDS-PAGE.

Endotoxin: $< 1.0 \text{ EU per } \mu\text{g}$ as determined by the LAL method.

Storage: Lyophilized protein should be stored at < -20°C, though stable at room

temperature for 3 weeks. Reconstituted protein solution can be stored at $4-7^{\circ}$ C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.

Shipping: This product is provided as lyophilized powder which is shipped with ice packs.

Formulation: Lyophilized from a 0.2 μm filtered solution of PBS,pH 7.4.

Reconstitution: Please refer to the printed manual for detailed information.

Application:

Synonyms: Programmed cell death 1; PD; PD1; Programmed cell death protein 1

Immunogen Information:

Sequence: Leu25-Gln167

Background:

Programmed cell death protein 1(PDCD1) is a single-pass type I membrane protein and contains 1 Ig-like V-type domain. PD is a member of the extended CD28/CTLA-4 family of T cell regulators. PDCD1 inhibits the T-cell proliferation and production of related cytokines including IL, IL-4, ILO and IFN-γ by suppressing the activation and transduction of PI3K/AKT pathway. In addition, coligation of PDCD1 inhibits BCR-mediating signal by dephosphorylating key signal transducer. PDCD1 has been suggested to be involved in lymphocyte clonal selection and peripheral tolerance, and thus contributes to the prevention of autoimmune diseases. As a cell surface molecule, PDCD1 regulates the adaptive immune response. Engagement of PD by its ligands PD-L1 or PD-L2 transduces a signal that inhibits T-cell proliferation, cytokine production, and cytolytic function.