



Recombinant Protein Technical Manual

Recombinant Human PCSK9 Protein (AVI Tag)(Active)
RPES2912

Product Data:

Product SKU: RPES2912

Size: 10µg

Species: Human

Expression host: Human Cells

Uniprot: Q8NBP7

Protein Information:

Molecular Mass: 14&59 kDa

AP Molecular Mass: 18&70 kDa

Tag: C-AVI

Bio-activity: Immobilized Human LDLR-His(Cat: PKSH033435) at 10µg/ml(100 µl/well) can bind Human PCSK9-BiotinylatedAVI. The ED50 of Human PCSK9-BiotinylatedAVI is 126.41ug/ml .

Purity: > 95 % as determined by reducing SDS-PAGE.

Endotoxin: < 1.0 EU per µg as determined by the LAL method.

Storage: Store at < -20°C, stable for 6 months. Please minimize freeze-thaw cycles.

Shipping: This product is provided as liquid. It is shipped at frozen temperature with blue ice/gel packs. Upon receipt, store it immediately at<-20°C.

Formulation: Supplied as a 0.2 µm filtered solution of 50mM HEPES,150mM NaCl,20%Glycerol,pH 7.4.

Reconstitution: Please refer to the printed manual for detailed information.

Application: Functional ELISA

Synonyms: Proprotein Convertase Subtilisin/Kexin Type 9; Neural Apoptosis-Regulated Convertase 1; NARC; Proprotein Convertase 9; PC9; Subtilisin/Kexin-Like Protease PC9; PCSK9; NARC1

Immunogen Information:

Sequence: Gln31-Gln152&Ser153-Gln692

Background:

Human Proprotein Convertase Subtilisin/Kexin Type 9 (PCSK9) is a secretory subtilase belonging to the proteinase K subfamily. PCSK9 is synthesized as a soluble zymogen that undergoes autocatalytic intramolecular processing in the ER, the pro domain and mature chain secrete together through noncovalent interactions. PCSK9 binds with low-density lipoprotein receptor (LDLR) and plays a major regulatory role in cholesterol homeostasis. Inhibition of PCSK9 function by preventing PCSK9/LDLR interaction is currently being explored as a means of lowering cholesterol levels. PCSK9 also binds to apolipoprotein receptor 2 (ApoER2), and play a role in the neural development.