



# Recombinant Protein Technical Manual

## Recombinant Human Fetuin-B/FETUB Protein (His Tag)

RPES3716

### Product Data:

**Product SKU:** RPES3716

**Size:** 10µg

**Species:** Human

**Expression host:** Human Cells

**Uniprot:** Q9UGM5

### Protein Information:

**Molecular Mass:** 41.5 kDa

**AP Molecular Mass:** 55 kDa

**Tag:** C-6His

**Bio-activity:**

**Purity:** > 95 % as determined by reducing SDS-PAGE.

**Endotoxin:** < 1.0 EU per µg as determined by the LAL method.

**Storage:** Lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.

**Shipping:** This product is provided as lyophilized powder which is shipped with ice packs.

**Formulation:** Lyophilized from a 0.2 µm filtered solution of 20mM PB, 150mM NaCl, pH 7.2.

**Reconstitution:** Please refer to the printed manual for detailed information.

**Application:**

**Synonyms:** Fetuin-B; 16G2; Fetuin-Like Protein IRL685; Gugu; FETUB

## Immunogen Information:

**Sequence:** Cys16-Pro382

## Background:

Fetuin-B is a member of the Fetuin family that is part of the Cystatin superfamily of Cysteine Protease inhibitors. It is reported that Fetuin-B is highly expressed in liver tissue, in tongue and placenta tissues. Fetuin-B is a paralogue of Fetuin-A. Fetuin-A and Fetuin-B display similarities and differences in their characteristics, however, they share only 20% amino acid sequence identity. The amounts of Fetuin-B in human serum, unlike Fetuin-A, vary with gender and are higher in females than in males. Fetuin-B is an inhibitor of basic calcium phosphate precipitation but is less active than Fetuin-A. Fetuin-B expression is decreased in Fetuin-A deficient knock-out mice. The expression of Fetuin-B has been shown to be regulated by FXR (Farnesoid X Receptor), a nuclear receptor activated by bile acids. Evidence has shown that overexpression of Fetuin-B in skin squamous carcinoma cells suppresses tumor growth in nude mice. The function of Fetuin B is still not fully characterized.