

Recombinant Protein Technical Manual Recombinant Human ANGPTL7 Protein (His Tag)

RPES4583

Product Data:

Product SKU: RPES4583 **Size:** 10μg

Species: Human Cells

Uniprot: 043827

Protein Information:

Molecular Mass: 38.4 kDa

AP Molecular Mass: 34, 45-55 kDa

Tag: C-His

Bio-activity:

Purity: > 95% as determined by reducing SDS-PAGE.

Endotoxin: < 1.0 EU per μg as determined by the LAL method.

Storage: Lyophilized protein should be stored at < -20°C, though stable at room

temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.

Shipping: This product is provided as lyophilized powder which is shipped with ice packs.

Formulation: Lyophilized from a 0.2 µm filtered solution of PBS, pH7.4.

Reconstitution: Please refer to the printed manual for detailed information.

Application:

Synonyms: Angiopoietin-related protein 7; Angiopoietin-like factor; Angiopoietin-like protein

7; Cornea-derived transcript 6 protein; ANGPTL7; CDT6

Immunogen Information:

Sequence: Gln27-Pro346

Background:

Angiopoietin-like 7 (ANGPTL7) is a secreted glycoprotein that is structurally related to the angiopoietins. Members of this protein family contain an N-terminal coiled coil domain and a C-terminal fibrinogen-like domain. ANGPTL7 shares 89% as sequence identity with mouse and rat ANGPTL7. It is secreted as a 45-50kDa monomer that forms disulfide-linked homotrimers and tetramers via the coiled coil domain. ANGPTL7 is expressed in the corneal stroma, trabecular meshwork, and sclera and is elevated in glaucoma aqueous humor. Its production is up-regulated in trabecular meshwork cells by glucocorticoids and TGF- β and in cartilage by TNF- α . Overexpression of ANGPTL7 in trabecular meshwork cells inhibits the production of collagen and proteoglycans. When overexpressed in tumor cells it promotes collagen and proteoglycan deposition but inhibits tumor xenograft progression and tumor angiogenesis.