



Recombinant Protein Technical Manual

Recombinant Human CD160/BY55 Protein (aa 2759, His Tag)(Active) RPES4986

Product Data:

Product SKU: RPES4986

Size: 10µg

Species: Human

Expression host: Human Cells

Uniprot: O95971

Protein Information:

Molecular Mass: 15.8 kDa

AP Molecular Mass: 22 kDa

Tag: C-6His

Bio-activity: Immobilized Human HVEM/TNFRSF14(Cat: PKSM040955) at 10µg/ml(100 µl/well) can bind Human CD160-His. The ED50 of Human CD160-His is 3.60 µg/ml .

Purity: > 90 % as determined by reducing SDS-PAGE.

Endotoxin: < 1.0 EU per µg as determined by the LAL method.

Storage: Lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.

Shipping: This product is provided as lyophilized powder which is shipped with ice packs.

Formulation: Lyophilized from a 0.2 µm filtered solution of 20mM PB,150mM NaCl,pH7.4.

Reconstitution: Please refer to the printed manual for detailed information.

Application: Functional ELISA

Synonyms: CD160 Antigen; Natural Killer Cell Receptor BY55; CD160; BY55;NK1;NK28

Immunogen Information:

Sequence: Ile27-Ser159

Background:

CD160 antigen is a Lipid-anchor that exists as a disulfide-linked homomultimer. CD160 contains one Ig-like V-type domain. The human CD160 precursor is a cysteine-rich, glycosylphosphatidylinositol-anchored protein of 181 amino acids with a single Ig-like domain. It is weakly homologous to KIR2DL4. CD160 is expressed in the spleen, peripheral blood, and small intestine. Its expression is tightly associated with peripheral blood NK cells and CD8 T lymphocytes with cytolytic effector activity. CD160 is a receptor showing broad specificity for both classical and non-classical MHC class I molecules.