# **Human SDF 1b Recombinant Protein**



#### **RPPB1251**

## **Product Information** Protein Information

Product SKU: Protein description:

RPPB1251 Stromal Cell-Derived Factor-1 beta Human Recombinant produced in E.Coli is a non-glycosylated,

Polypeptide chain containing 72 amino acids and having a molecular mass of 8508 Dalton. The SDF-1b is

**Accession:** purified by proprietary chromatographic techniques.

P48061

**Appearance:** 

**Host:** Sterile Filtered White lyophilized (freeze-dried) powder.

Escherichia Coli.

Synonyms:

SDF-1, CXCL12, Pre-B cell growth-stimulating factor, PBSF, hIRH, chemokine (C-X-C motif) ligand 12, SDF1, SDF1B, TPAR1, SCYB12, SDF-1b, TLSF-b.

Formulation:

The CXCL12 protein was lyophilized from a concentrated (1mg/ml) sterile solution containing no additives.

**Purity:** 

Greater than 98.0% as determined by:(a) Analysis by RP-HPLC.(b) Analysis by SDS-PAGE.

Solubility:

It is recommended to reconstitute the lyophilized Stromal Cell-Derived Factor-1b in sterile 18M $\Omega$ -cm H2O not less than 100 $\mu$ g/ml, which can then be further diluted to other aqueous solutions.

Stability:

Lyophilized SDF-1b although stable at room temperature for 3 weeks, should be stored desiccated below -18°C. Upon reconstitution CXCL12 should be stored at 4°C between 2-7 days and for future use below -18°C. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Please prevent freeze-thaw cycles.

#### **Amino Acid Sequence:**

The sequence of the first five N-terminal amino acids was determined and was found to be Lys-Pro-Val-Ser-Leu.

### **Biological Activity:**

The specific activity as determined by its ability to chemoattract human peripheral T cells activated with PHA and IL-2 using a concentation of 20-80ng/ml corresponding to a Specific Activity of 12,500-50,000IU/mg.