

Product Information Antibody Information Product SKU: Background: The protein is a member of the G protein-coupled receptor family. This receptor was identified as a gene induced by the Epstein-Barr virus (EBV), and is thought to be a mediator of EBV effects on B lymphocytes. This receptor is expressed in various lymphoid tissues and activates B and T lymphocytes. It has been shown to control the migration of memory T cells to inflamed tissues, as well as stimulate dendritic cell maturation. The chemokine (C-C motif) ligand 19 (CCL19/ECL) has been reported to be a specific ligand of this receptor. Signals mediated by this receptor **Molecular Weight:** regulate T cell homeostasis in lymph nodes, and may also function in the activation and polarization of T cells, and in chronic inflammation pathogenesis. protein has a MW of 42.9 kDa **Description: Expression System:** Human CCR7 full length protein-synthetic nanodisc **Protein Family:** Uniprot: Druggable Genome, GPCR, Transmembrane **Protein Pathways:** Chemokine signaling pathway, Cytokine-cytokine receptor interaction CCR7 Synonyms: BLR2; CC-CKR-7; CCR-7; CD197; CDw197; CMKBR7; EBI1

Storage:

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.

Usage:

Research use only

Form:

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions.

HDFP041

Size: 10µg

The human full length CCR7

HEK293

P32248

Target: