

Purified Anti-Human CD54 Antibody [15.2]

AGEL5004

Description

This Purified Anti-Human CD54 Antibody [15.2] is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Product Information

SKU:	AGEL5004
Contents:	25µg, 100µg, 1mg Bradford Reagent: 1 vial (2ml)
Category:	Monoclonal Antibody
Clonality:	Monoclonal
Clone:	15.2
Synonyms:	P3., MyD, Intercellular adhesion molecule, MALA, BB2, CD54, P3.58, ICAM1, MALA-2, MyD10, ICAM-1, Intercellular adhesion molecule 1, Major group rhinovirus receptor, Antigen identified by monoclonal BB2, BB 2, CD 54, CD_antigen=CD54, Cell surface glycoprotein P3.58, Human rhinovirus receptor, ICAM 1, intercellular adhesion molecule 1 (CD54), MALA 2, MALA2, MyD 10, Surface antigen of activated B cells
Applications:	FCM
Reactivity:	Human
Immunogen:	Recombinant Human CD54 protein

Antibody Data

Uniprot ID:	-
Gene ID:	-
Swissprot:	P05362

Host Species:	Mouse
Isotype:	Mouse IgG1, κ
Isotype Control:	-
Conjugation:	-
Conjugation Information:	-
Buffer:	Phosphate-buffered solution, pH 7.2, containing 0.05% non-protein stabilizer. Dialyze to completely remove the stabilizer prior to labeling.
Purification:	>98%, Protein A/G purified
Target:	CD54
Cellular Localization:	-
Tissue Specificity:	-
Verified Samples:	Verified Samples in FCM: Human peripheral blood lymphocytes
Concentration:	≥ 1 mg/mL

Preparation & Storage

Storage:	Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze / thaw cycles.				
Shipping:	Ice bag				
Recommended Dilution:	FCM 2 μ g/mL(0.5×10^6 - 1×10^6 cells)				
Recommended Usage:	<table border="1"> <thead> <tr> <th>Application</th><th>Recommended Usage</th></tr> </thead> <tbody> <tr> <td>-</td><td>-</td></tr> </tbody> </table>	Application	Recommended Usage	-	-
Application	Recommended Usage				
-	-				
Protein Quantification (Optional):	To quantify total protein levels, use the Bradford Reagent included in this kit. Visit https://www.assaygenie.com/bradford-protein-assay-protocol/ to view the full protocol				
Notes:	Centrifuge before opening to ensure complete recovery of vial contents.				