

# Anti-Human CD184 Antibody [12G5] -Low Endotoxin, Azide Free

AGEL5012

## Description

---

This Anti-Human CD184 Antibody [12G5] -Low Endotoxin, Azide Free is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

## Product Information

---

<b>SKU:</b>	AGEL5012
<b>Contents:</b>	25µg, 100µg, 1mg Bradford Reagent: 1 vial (2ml)
<b>Category:</b>	Monoclonal Antibody
<b>Clonality:</b>	Monoclonal
<b>Clone:</b>	12G5
<b>Synonyms:</b>	LCR, CXCR, C-X-C chemokine receptor type, LAP, CD184, D2S201E, FB22, HM89, HSY3RR, LAP-3, LAP3, LCR1, LESTR, NPY3R, NPYR, NPYRL, NPYY3R, WHIM, WHIMS, CXCR4, C-X-C chemokine receptor type 4, Fusin, SDF 1 receptor, Fusin, LESTR, CD184 antigen, Chemokine (C X C motif) receptor 4, Chemokine CXC Motif Receptor 4, C-X-C motif chemokine receptor 4, CXCR-4, CXC-R4, LAP 3, Leukocyte derived seven transmembrane domain receptor, Leukocyte-derived seven transmembrane domain receptor, Lipopolysaccharide associated protein 3, Neuropeptide Y receptor Y3, NPYY3, Probable G protein coupled receptor lcr1 homolog, SDF-1 receptor, SEVEN-TRANSMEMBRANE-SEGMENT RECEPTOR, Stromal cell derived factor 1 receptor, Stromal cell-derived factor 1 receptor
<b>Applications:</b>	<a href="#">FCM</a>
<b>Reactivity:</b>	Human
<b>Immunogen:</b>	Recombinant Human CD184 protein

## Antibody Data

---

**Uniprot ID:** -

<b>Gene ID:</b>	-
<b>Swissprot:</b>	P61073
<b>Host Species:</b>	Mouse
<b>Isotype:</b>	Mouse IgG2a, κ
<b>Isotype Control:</b>	-
<b>Conjugation:</b>	-
<b>Conjugation Information:</b>	-
<b>Buffer:</b>	Sterile PBS, pH 7.2. < 1.0 EU per mg of the antibody as determined by the LAL method.
<b>Purification:</b>	>98%, Protein A/G purified
<b>Target:</b>	CD184
<b>Cellular Localization:</b>	-
<b>Tissue Specificity:</b>	-
<b>Verified Samples:</b>	Verified Samples in FCM: Human peripheral blood lymphocytes cell
<b>Concentration:</b>	≥ 1 mg/mL

## Preparation & Storage

---

**Storage:** Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze / thaw cycles. This preparation contains no preservatives, thus it should be handled under aseptic conditions.

**Shipping:** Ice bag

**Recommended Dilution:** FCM 2 µg/mL(0.5×10<sup>6</sup>-1×10<sup>6</sup> cells)

**Recommended Usage:**

Application	Recommended Usage
-	-

**Protein  
Quantification  
(Optional):**

To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol

**Notes:**

Centrifuge before opening to ensure complete recovery of vial contents.