

Anti-Human CD95 Antibody [DX2] -Low Endotoxin, Azide Free

AGEL5099

Description

This Anti-Human CD95 Antibody [DX2] -Low Endotoxin, Azide Free is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Product Information

SKU:	AGEL5099
Contents:	25µg, 100µg, 1mg Bradford Reagent: 1 vial (2ml)
Category:	Monoclonal Antibody
Clonality:	Monoclonal
Clone:	DX2
Synonyms:	APT, TNF, CD antigen CD, Tumor necrosis factor receptor superfamily member, TNFRSF, APO, ALPS1A, APO-1, APT1, CD95, FAS1, FASTM, TNFRSF6, FAS, APO1, FASR, TNFRSF6 and FAS, TNFR6, Tumor necrosis factor receptor superfamily member 6, Apo-1 antigen, Apoptosis-mediating surface antigen FAS, FASLG receptor, CD antigen CD95, APO-1, APT1, FASTM, TNFRSF6, ALPS 1A, APO 1, Apo 1 antigen, APO 1 cell surface antigen, Apo1 antigen, APO1 cell surface antigen, Apoptosis antigen 1, Apoptosis mediating surface antigen FAS, APT 1, CD 95, CD 95 antigen, CD95 antigen, Delta Fas, Delta Fas/APO 1/CD95, Delta Fas/APO1/CD95, Fas (TNF receptor superfamily, FAS 1, FAS 827dupA, Fas AMA, FAS Antigen, Fas cell surface death receptor, FAS/CD95, member 6, member 6), sFAS, Surface antigen APO1, TNF receptor superfamily, TNFRSF 6
Applications:	FCM
Reactivity:	Human
Immunogen:	Recombinant Human CD95 protein

Antibody Data

Uniprot ID:	-
Gene ID:	-
Swissprot:	P25445
Host Species:	Mouse
Isotype:	Mouse IgG1, κ
Isotype Control:	-
Conjugation:	-
Conjugation Information:	-
Buffer:	Sterile PBS, pH 7.2. < 1.0 EU per mg of the antibody as determined by the LAL method.
Purification:	>98%, Protein A/G purified
Target:	CD95
Cellular Localization:	-
Tissue Specificity:	-
Verified Samples:	Verified Samples in FCM: Human peripheral blood lymphocytes
Concentration:	≥ 1 mg/mL

Preparation & Storage

Storage: Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze / thaw cycles. This preparation contains no preservatives, thus it should be handled under aseptic conditions.

Shipping: Ice bag

Recommended Dilution: FCM 2 µg/mL(0.5×10⁶-1×10⁶ cells)

Recommended Usage:

Application	Recommended Usage
-	-

**Protein
Quantification
(Optional):**

To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol

Notes:

Centrifuge before opening to ensure complete recovery of vial contents.