

Purified Anti-Human CD185 Antibody [J252D4]

AGEL5127

Description

This Purified Anti-Human CD185 Antibody [J252D4] is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Product Information

SKU:	AGEL5127
Contents:	25µg, 100µg Bradford Reagent: 1 vial (2ml)
Category:	Monoclonal Antibody
Clonality:	Monoclonal
Clone:	J252D4
Synonyms:	MDR, BLR, CXCR, Burkitt lymphoma receptor, Monocyte-derived receptor, C-X-C chemokine receptor type, CXCR5, BLR1, CD185, MDR15, Burkitt lymphoma receptor 1, C-X-C chemokine receptor type 5, Monocyte-derived receptor 15, BLR1, BLR 1, Burkitt lymphoma receptor 1 GTP binding protein, C X C chemokine receptor type 5, CD 185, CD185 antigen, Chemokine (C-X-C motif) receptor 5, Chemokine C X C motif receptor 5, Chemokine CXC motif receptor 5, Chemokine receptor 5, CXC chemokine receptor type 5, CXC R5, CXCR 5, CXCR-5, CXC-R5, GTP binding protein (chemokine (C-X-C motif) receptor 5), MDR 15, MDR-15, MGC117347, Monocyte derived receptor 15
Applications:	FCM
Reactivity:	Human
Immunogen:	Recombinant Human CD185 protein

Antibody Data

Uniprot ID:	-
Gene ID:	-

Swissprot:	P32302
Host Species:	Mouse
Isotype:	Mouse IgG1, κ
Isotype Control:	-
Conjugation:	-
Conjugation Information:	-
Buffer:	Phosphate-buffered solution, pH 7.2, containing 0.05% non-protein stabilizer. Dialyze to completely remove the stabilizer prior to labeling.
Purification:	>98%, Protein A/G purified
Target:	CD185
Cellular Localization:	-
Tissue Specificity:	-
Verified Samples:	Verified Samples in FCM: Human peripheral blood lymphocytes
Concentration:	≥ 1 mg/mL

Preparation & Storage

Storage: Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze / thaw cycles.

Shipping: Ice bag

Recommended Dilution: FCM 2 µg/mL(0.5×10⁶-1×10⁶ cells)

Recommended Usage:

Application	Recommended Usage
-	-

Protein Quantification (Optional): To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol

Notes:

Centrifuge before opening to ensure complete recovery of vial contents.