

# Anti-Human CD4 Antibody [OKT-4] -Low Endotoxin, Azide Free

AGEL5151

## Description

---

This Anti-Human CD4 Antibody [OKT-4] -Low Endotoxin, Azide Free is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

## Product Information

---

<b>SKU:</b>	AGEL5151
<b>Contents:</b>	25µg, 100µg, 1mg Bradford Reagent: 1 vial (2ml)
<b>Category:</b>	Monoclonal Antibody
<b>Clonality:</b>	Monoclonal
<b>Clone:</b>	OKT-4
<b>Synonyms:</b>	Scd, T-cell surface antigen T4/Leu, T-cell surface glycoprotein CD, CD4, CD4mut, p55, Scd4, T-cell surface glycoprotein CD4, T-cell surface antigen T4/Leu-3, T4, Leu-3, L3T4, W3/25, CD 4, CD4 (L3T4), CD4 antigen, CD4 antigen (p55), CD4 molecule, CD4 receptor, CD4+ Lymphocyte deficiency, included, L3T4, Leu3, Ly-4, Lymphocyte antigen CD4, MGC165891, OTTHUMP00000238897, T cell antigen T4, T cell antigen T4/LEU3, T cell differentiation antigen L3T4, T cell OKT4 deficiency, T cell surface antigen T4/Leu 3, T cell surface antigen T4/Leu3, T cell surface glycoprotein CD4, W3/25, W3/25 antigen
<b>Applications:</b>	<b>FCM</b>
<b>Reactivity:</b>	Human
<b>Immunogen:</b>	Recombinant Human CD4 protein

## Antibody Data

---

<b>Uniprot ID:</b>	-
<b>Gene ID:</b>	-

<b>Swissprot:</b>	P01730
<b>Host Species:</b>	Mouse
<b>Isotype:</b>	Mouse IgG2b, κ
<b>Isotype Control:</b>	-
<b>Conjugation:</b>	-
<b>Conjugation Information:</b>	-
<b>Buffer:</b>	Sterile PBS, pH 7.2. < 1.0 EU per mg of the antibody as determined by the LAL method.
<b>Purification:</b>	>98%, Protein A/G purified
<b>Target:</b>	CD4
<b>Cellular Localization:</b>	-
<b>Tissue Specificity:</b>	-
<b>Verified Samples:</b>	Verified Samples in FCM: Human peripheral blood lymphocytes cell
<b>Concentration:</b>	≥ 1 mg/mL

## Preparation & Storage

---

**Storage:** Store at 4°C valid for 12 months or -20°C valid for long term storage, avoid freeze / thaw cycles. This preparation contains no preservatives, thus it should be handled under aseptic conditions.

**Shipping:** Ice bag

**Recommended Dilution:** FCM 2 µg/mL(0.5×10<sup>6</sup>-1×10<sup>6</sup> cells)

**Recommended Usage:**

Application	Recommended Usage
-	-

**Protein Quantification (Optional):** To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol

**Notes:**

Centrifuge before opening to ensure complete recovery of vial contents.