

# Anti-TRAF4 [R06-5G5] Monoclonal Antibody

AGMB00315

## Description

---

This Anti-TRAF4 [R06-5G5] Monoclonal Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

## Product Information

---

**SKU:** AGMB00315

**Contents:** 20µl, 50µl, 100µl  
Bradford Reagent: 1 vial (2ml)

**Synonyms:** CART 1, CART1, TRAF 4, TRAF-4, TRAF4\_HUMAN, cysteine rich domain associated with ring and TRAF domain, Cysteine rich domain associated with RING and Traf domains protein 1, Malignant 62, metastatic lymph node gene 62 protein, MLN 62, MLN62, RING finger protein 83, RNF 83, RNF83, TNF receptor associated factor 4, TRAF 4, tumor necrosis receptor-associated factor 4A.

**Applications:** **WB** **ICC/IF** **FC**

**Research Area:** Cell Biology

**Form:** Liquid

## Antibody Data

---

**Reactivity:** Human, Mouse

**Clone:** R06-5G5

**Clonality:** Monoclonal Antibody

**SwissProt ID:** Q9BUZ4

### Manufacturers Statement

This final kit system is assembled and quality-released by Assay Genie Limited.

**Immunogen:** A synthesized peptide derived from human TRAF4

**Gene ID:** 9618

**Gene Name:** TRAF4

**Host Species:** Rabbit

**Isotype:** IgG

**Purification:** Affinity Chromatography

**Conjugated:** Unconjugated

**Modification:** Unmodified

**Molecular Weight:** Calculated MW: 54 kDa, Observed MW: 54 kDa

## Preparation & Storage

---

**Storage:** Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.  
Store Bradford Reagent at Room Temperature for 1 Year.

**Storage Buffer:** Liquid in 10mM PBS, pH 7.4, 150mM sodium chloride, 0.05% BSA, 0.02% sodium azide and 50% glycerol.

<b>Antibody Dilution Ratio:</b>	<b>Application</b>	<b>Antibody Dilution Ratio</b>
	WB	1:1000-1:2000
	IF	1:50-1:200
	FC	1:50-1:100

**Protein Quantification (Optional):** To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol.