

# Anti-TAK1 [R09-4B6] Monoclonal Antibody

AGMB01911

## Description

---

This Anti-TAK1 [R09-4B6] Monoclonal Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

## Product Information

---

<b>SKU:</b>	AGMB01911
<b>Contents:</b>	20µl, 50µl, 100µl Bradford Reagent: 1 vial (2ml)
<b>Synonyms:</b>	MAP3K7, TAK1, Mitogen-activated protein kinase kinase kinase 7, Transforming growth factor-beta-activated kinase 1, TGF-beta-activated kinase 1
<b>Applications:</b>	<b>WB</b> <b>IHC-F</b> <b>IHC-P</b> <b>ICC/IF</b> <b>FC</b>
<b>Research Area:</b>	Signal Transduction
<b>Form:</b>	Liquid

## Antibody Data

---

<b>Reactivity:</b>	Human, Mouse, Rat
<b>Clone:</b>	R09-4B6
<b>Clonality:</b>	Monoclonal Antibody
<b>SwissProt ID:</b>	O43318
<b>Immunogen:</b>	A synthetic peptide of human TAK1
<b>Gene ID:</b>	6885

### Manufacturers Statement

This final kit system is assembled and quality-released by Assay Genie Limited.

**Gene Name:** MAP3K7  
**Host Species:** Rabbit  
**Isotype:** IgG  
**Purification:** Affinity Purified  
**Conjugated:** Unconjugated  
**Modification:** Unmodified  
**Molecular Weight:** Calculated MW: 67 kDa, Observed MW: 78 kDa

## Preparation & Storage

---

**Storage:** Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.  
 Store Bradford Reagent at Room Temperature for 1 Year.

**Storage Buffer:** Liquid in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% BSA.

<b>Antibody Dilution Ratio:</b>	<b>Application</b>	<b>Antibody Dilution Ratio</b>
	WB	1:1000-1:5000
	IHC	1:20-1:50
	ICC/IF	1:200-1:1000
	FC	1:20-1:50

**Protein Quantification (Optional):** To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol.