

Anti-Ikaros (1A12) [1A12-F2-D8] Monoclonal Antibody

AGMB04240

Description

This Anti-Ikaros (1A12) [1A12-F2-D8] Monoclonal Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Product Information

SKU:	AGMB04240
Contents:	20µl, 50µl, 100µl Bradford Reagent: 1 vial (2ml)
Synonyms:	CLL associated antigen KW 6, DNA-binding protein Ikaros, hlk 1, hlk-1, Hs.54452, IK1, Ikaros (zinc finger protein), IKAROS, IKAROS family zinc finger 1 (Ikaros), Ikaros family zinc finger protein 1, Ikzf1, IKZF1_HUMAN, LYF1, Lymphoid transcription factor LyF-1, PRO0758, Zinc finger protein subfamily 1A 1 (Ikaros), zinc finger protein subfamily 1A 1, Zinc finger protein, subfamily 1A, member 1, ZNFN1A1.
Applications:	WB IP
Research Area:	Epigenetics
Form:	Liquid

Antibody Data

Reactivity:	Human
Clone:	1A12-F2-D8
Clonality:	Monoclonal Antibody
SwissProt ID:	Q13422

Manufacturers Statement

This final kit system is assembled and quality-released by Assay Genie Limited.

Immunogen: Purified recombinant human Ikaros(C-terminus) protein fragments expressed in E.coli.

Gene ID: 10320

Gene Name: IKZF1

Host Species: Mouse

Isotype: IgG1

Purification: Affinity Purified

Conjugated: Unconjugated

Modification: Unmodified

Molecular Weight: Calculated MW: 58 kDa, Observed MW: 58 kDa

Preparation & Storage

Storage: Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Store Bradford Reagent at Room Temperature for 1 Year.

Storage Buffer: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.

Antibody Dilution Ratio:	Application	Antibody Dilution Ratio
	WB	1:500-1:1000
	IP	1:20

Protein Quantification (Optional): To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol.