

# Anti-Nck [7H2-4C2-1A2] Monoclonal Antibody

AGMB04414

## Description

---

This Anti-Nck [7H2-4C2-1A2] Monoclonal Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

## Product Information

---

<b>SKU:</b>	AGMB04414
<b>Contents:</b>	20µl, 50µl, 100µl Bradford Reagent: 1 vial (2ml)
<b>Synonyms:</b>	NCK1, NCK, nck-1, NCKalpha, Cytoplasmic protein NCK1, Melanoma Nck protein, MGC12668,
<b>Applications:</b>	<b>WB</b> <b>IHC-P</b> <b>FC</b>
<b>Research Area:</b>	Signal Transduction
<b>Form:</b>	Liquid

## Antibody Data

---

<b>Reactivity:</b>	Human, Monkey
<b>Clone:</b>	7H2-4C2-1A2
<b>Clonality:</b>	Monoclonal Antibody
<b>SwissProt ID:</b>	P16333
<b>Immunogen:</b>	Purified recombinant fragment of human NCK1 expressed in E. Coli.
<b>Gene ID:</b>	4690

### Manufacturers Statement

This final kit system is assembled and quality-released by Assay Genie Limited.

**Gene Name:** NCK1  
**Host Species:** Mouse  
**Isotype:** IgG1  
**Purification:** Affinity Purified  
**Conjugated:** Unconjugated  
**Modification:** Unmodified  
**Molecular Weight:** -

## Preparation & Storage

---

**Storage:** Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.  
 Store Bradford Reagent at Room Temperature for 1 Year.

**Storage Buffer:** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.

<b>Antibody Dilution Ratio:</b>	<b>Application</b>	<b>Antibody Dilution Ratio</b>
	WB	1:500-1:1000
	IHC	1:50-1:100
	FC	1:50-1:100

**Protein Quantification (Optional):** To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol.