

# Anti-Cystathionase [R06-5A5] Monoclonal Antibody -Knockout Validated

AGMB06622

## Description

---

This Anti-Cystathionase [R06-5A5] Monoclonal Antibody -Knockout Validated is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

## Product Information

---

<b>SKU:</b>	AGMB06622
<b>Contents:</b>	20µl, 50µl, 100µl Bradford Reagent: 1 vial (2ml)
<b>Synonyms:</b>	CGL, CSE, Cystathionase/CTH
<b>Applications:</b>	<b>WB</b> <b>IP</b>
<b>Research Area:</b>	Signal Transduction
<b>Form:</b>	Liquid

## Antibody Data

---

<b>Reactivity:</b>	Human
<b>Clone:</b>	R06-5A5
<b>Clonality:</b>	Monoclonal Antibody
<b>SwissProt ID:</b>	P32929
<b>Immunogen:</b>	A synthetic peptide of human Cystathionase/CTH
<b>Gene ID:</b>	1491

### Manufacturers Statement

This final kit system is assembled and quality-released by Assay Genie Limited.

**Gene Name:** CTH  
**Host Species:** Rabbit  
**Isotype:** IgG  
**Purification:** Affinity Purified  
**Conjugated:** Unconjugated  
**Modification:** Unmodified  
**Molecular Weight:** Calculated MW: 45 kDa, Observed MW: 45 kDa

## Preparation & Storage

---

**Storage:** Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.  
 Store Bradford Reagent at Room Temperature for 1 Year.

**Storage Buffer:** Liquid in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% sodium azide and 0.05% BSA.

	Application	Antibody Dilution Ratio
<b>Antibody Dilution Ratio:</b>	WB	1:1000-1:5000
	IP	1:50-1:100

**Protein Quantification (Optional):** To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol.