

# Anti-c-Myc Tag (10D2) [10D2-8G7-1D9] Monoclonal Antibody

## AGMB06867

### Description

---

This Anti-c-Myc Tag (10D2) [10D2-8G7-1D9] Monoclonal Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

### Product Information

---

<b>SKU:</b>	AGMB06867
<b>Contents:</b>	1mL, 100µl Bradford Reagent: 1 vial (2ml)
<b>Synonyms:</b>	c-Myc, Myc tag, Myc protein, Myc epitope tag, Myc2
<b>Applications:</b>	<b>WB</b>
<b>Research Area:</b>	Tags & Cell Markers
<b>Form:</b>	Liquid

### Antibody Data

---

<b>Reactivity:</b>	Species-Independent
<b>Clone:</b>	10D2-8G7-1D9
<b>Clonality:</b>	Monoclonal Antibody
<b>SwissProt ID:</b>	-
<b>Immunogen:</b>	Synthetic peptide EQKLISEEDL coupled to KLH.
<b>Gene ID:</b>	-
<b>Gene Name:</b>	-

#### Manufacturers Statement

This final kit system is assembled and quality-released by Assay Genie Limited.

**Host Species:** Mouse

**Isotype:** IgG1

**Purification:** Affinity Purified

**Conjugated:** Unconjugated

**Modification:** Unmodified

**Molecular Weight:** -

## Preparation & Storage

---

**Storage:** Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.  
Store Bradford Reagent at Room Temperature for 1 Year.

**Storage Buffer:** Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide, pH 7.3.

Antibody Dilution Ratio:	Application	Antibody Dilution Ratio
		WB

**Protein Quantification (Optional):** To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol.