

CDK11B Antibody

CAB12830

Description

This CDK11B Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Product Information

| | |
|----------------------|--|
| SKU: | CAB12830 |
| Contents: | 20 μ L, 100 μ L Bradford Reagent: 1 vial (2ml) |
| Category: | Polyclonal Antibody |
| Synonyms: | p58, PK58, CDK11, CLK-1, CDC2L1, PITSLREA, p58CLK-1, CDK11-p46, CDK11-p58, p58CDC2L1, CDK11-p110, CDK11B |
| Clone: | - |
| Applications: | WB IF/ICC ELISA |
| Conjugation: | Unconjugated |
| Reactivity: | Human, Mouse |


Antibody Data

| | |
|-----------------------|-----------------------|
| Gene ID: | 984 |
| Uniprot: | AB_2759670 |
| Host Species: | Rabbit |
| Purification: | Affinity purification |
| Observed MW: | 110kDa |
| Calculated MW: | 93kDa |


Preparation & Storage

| | | | | | | | |
|---|---|-----------|----------------|---------------|--------------|--------------|---|
| Storage: | Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3. | | | | | | |
| | Store Bradford Reagent at Room Temperature for 1 Year. | | | | | | |
| Positive Sample: | HeLa, Mouse brain | | | | | | |
| Recommended Dilutions: | <table border="1"> <tr> <td>WB</td><td>1:500 - 1:2000</td></tr> <tr> <td>IF/ICC</td><td>1:50 - 1:200</td></tr> <tr> <td>ELISA</td><td>Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.</td></tr> </table> | WB | 1:500 - 1:2000 | IF/ICC | 1:50 - 1:200 | ELISA | Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements. |
| WB | 1:500 - 1:2000 | | | | | | |
| IF/ICC | 1:50 - 1:200 | | | | | | |
| ELISA | Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements. | | | | | | |
| Protein Quantification (Optional): | To quantify total protein levels, use the Bradford Reagent included in this kit. Visit https://www.assaygenie.com/bradford-protein-assay-protocol/ to view the full protocol | | | | | | |

Validation Data



Western blot analysis of various lysates using CDK11B Rabbit pAb (CAB12830) at 1:3000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (AbGn00020). Exposure time: 90s.



Immunofluorescence analysis of HeLa cells using CDK11B Rabbit pAb (CAB12830) at dilution of 1:100. Secondary antibody: Cy3-conjugated Goat anti-Rabbit IgG (H+L) (CABS007) at 1:500 dilution. Blue: DAPI for nuclear staining.

