

## APC Monoclonal Antibody

**CAB17912**

### Description

---

This APC Monoclonal Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

### Product Information

---

<b>SKU:</b>	CAB17912
<b>Contents:</b>	20 µL, 100 µL Bradford Reagent: 1 vial (2ml)
<b>Category:</b>	Monoclonal Antibody
<b>Synonyms:</b>	GS, DP2, DP3, BTPS2, DESMD, DP2.5, PPP1R46, APC
<b>Clone:</b>	ARC0346
<b>Applications:</b>	WB   IP   ELISA
<b>Conjugation:</b>	Unconjugated
<b>Reactivity:</b>	Human, Mouse, Rat

### Antibody Data

---

<b>Gene ID:</b>	324
<b>Uniprot:</b>	AB_2861757
<b>Host Species:</b>	Rabbit
<b>Purification:</b>	Affinity purification
<b>Observed MW:</b>	160kDa
<b>Calculated MW:</b>	312kDa

## Preparation & Storage

---

**Storage:** Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS containing 50% glycerol and 0.05% BSA, preserved with proclin300 or sodium azide (as specified on the Certificate of Analysis), pH 7.3.

Store Bradford Reagent at Room Temperature for 1 Year.


**Positive Sample:** SW480, Mouse brain, Mouse lung, Rat brain

<b>Recommended Dilutions:</b>	<b>WB</b>	1:1000 - 1:2000
	<b>IP</b>	0.5µg-4µg antibody for 400µg-600µg extracts of whole cells
	<b>ELISA</b>	Recommended starting concentration is 1 µg/mL. Please optimize the concentration based on your specific assay requirements.


**Protein Quantification (Optional):** To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol

## Validation Data

---



Western blot analysis of various lysates using APC Rabbit mAb (CAB17912) at 1:1000 dilution. Secondary antibody: HRP-conjugated Goat anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25µg per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (AbGn00020). Exposure time: 3min.



Immunoprecipitation analysis of 600  $\mu$ g extracts of Mouse lung using 3  $\mu$ g APC antibody (CAB17912). Western blot was performed from the immunoprecipitate using APC antibody (CAB17912) at a dilution of 1:500.