

IL36B Antibody

PACO02181

Description

This IL36B Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Product Information

SKU:	PACO02181
Contents:	50µg Bradford Reagent: 1 vial (2ml)
Category:	-
Synonyms:	2310043N20Rik antibody, Family of interleukin 1 eta antibody, FIL1 (ETA) antibody, FIL1 antibody, FIL1 eta antibody, FIL1H antibody, FIL1-(ETA) antibody, IL 1F8 (FIL1 eta antibody, IL 1F8 antibody, IL 1H2 antibody, IL-1 eta antibody, IL-1F8 antibody, IL-1H2 antibody, IL1 ETA antibody, IL1F8 (Canonical product IL 1F8a) antibody, IL1F8 antibody, IL1F8_HUMAN antibody, IL1H2 antibody, IL36 beta antibody, IL36B antibody, Interleukin 1 family, member 8 (eta) antibody, Interleukin 1 family, member 8 antibody, Interleukin 1 homolog 2 antibody, Interleukin 1 Superfamily e antibody, Interleukin 36 beta ...Read more
Clone:	-
Applications:	WB ELISA
Conjugation:	Non-conjugated
Reactivity:	Human

Antibody Data

Isotype:	IgG
Uniprot:	Q9NZH7
Host Species:	Rabbit
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Immunogen:	Synthesized peptide derived from the C-terminal region of Human IL-1F8.
Immunogen Species:	Homo sapiens (Human)

Manufacturers Statement: This final kit system is assembled and quality-released by Assay Genie Limited.

Buffer: Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.

Form: Liquid

Preparation & Storage


Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. Store Bradford Reagent at Room Temperature for 1 Year.

Recommended Dilutions:	Application	Recommended Dilution
	WB	1:500-1:2000
	ELISA	1:20000

Protein Quantification (Optional): To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol

Validation Data

Image



Description

Western Blot analysis of HepG2 cells using IL-1F8 Polyclonal Antibody