

SCAMP3 Antibody

PACO31928

Description

This SCAMP3 Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Product Information

SKU:	PACO31928
Contents:	50µg Bradford Reagent: 1 vial (2ml)
Category:	-
Synonyms:	C1orf3 antibody, Propin 1 antibody, Propin1 antibody, Sc3 antibody, SCAM3_HUMAN antibody, SCAMP 3 antibody, SCAMP3 antibody, Secretory carrier associated membrane protein 3 antibody, Secretory carrier membrane protein 3 antibody, Secretory carrier-associated membrane protein 3 antibody, TU52 antibody
Clone:	Polyclonal
Applications:	ELISA WB IHC IF
Conjugation:	Non-conjugated
Reactivity:	Human

Antibody Data

Isotype:	IgG
Uniprot:	O14828
Host Species:	Rabbit
Purification:	>95%, Protein G purified
Immunogen:	Recombinant Human Secretory carrier-associated membrane protein 3 protein (2-170AA)
Immunogen Species:	Homo sapiens (Human)
Buffer:	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Form:	Liquid

Manufacturers Statement: This final kit system is assembled and quality-released by Assay Genie Limited.

Preparation & Storage


Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. Store Bradford Reagent at Room Temperature for 1 Year.

Recommended Dilutions:	Application	Recommended Dilution
	WB	1:1000-1:5000
	IHC	1:20-1:200
	IF	1:50-1:200

Protein Quantification (Optional): To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol


Validation Data

Image




Description

Western blot All lanes: SCAMP3 antibody at 2µg/ml Lane 1: EC109 whole cell lysate Lane 2: 293T whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/15000 dilution Predicted band size: 39, 36 kDa Observed band size: 39 kDa



Immunofluorescent analysis of HepG2 cells using PACO31928 at dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)



Immunohistochemistry of paraffin-embedded human skeletal muscle tissue using PACO31928 at dilution of 1:100