

## CFHR2 Antibody

PACO33384

### Description

---

This CFHR2 Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

### Product Information

---

<b>SKU:</b>	PACO33384
<b>Contents:</b>	50µg Bradford Reagent: 1 vial (2ml)
<b>Category:</b>	-
<b>Synonyms:</b>	CFHL2 antibody, CFHR2 antibody, Complement factor H related protein 2 antibody, Complement factor H-related 2 antibody, Complement factor H-related protein 2 antibody, DDESK59 antibody, Factor H-related gene 2 antibody, FHR 2 antibody, FHR-2 antibody, FHR2 antibody, FHR2_HUMAN antibody, H factor (complement)-like 3 antibody, H factor like 3 antibody, H factor like protein 2 antibody, H factor-like 3 antibody, H factor-like protein 2 antibody, HFL3 antibody
<b>Clone:</b>	Polyclonal
<b>Applications:</b>	<b>ELISA</b> <b>WB</b> <b>IHC</b>
<b>Conjugation:</b>	Non-conjugated
<b>Reactivity:</b>	Human

### Antibody Data

---

<b>Isotype:</b>	IgG
<b>Uniprot:</b>	P36980
<b>Host Species:</b>	Rabbit
<b>Purification:</b>	>95%, Protein G purified
<b>Immunogen:</b>	Recombinant Human Complement factor H-related protein 2 protein (20-269AA)
<b>Immunogen Species:</b>	Homo sapiens (Human)

**Buffer:** Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS,  
PH 7.4

**Form:** Liquid

## Preparation & Storage


**Storage:** Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. Store Bradford Reagent at Room Temperature for 1 Year.

Recommended Dilutions:	Application	Recommended Dilution
	WB	1:500-1:5000
IHC	1:20-1:200	

**Protein Quantification (Optional):** To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol


## Validation Data

### Image



### Description

Western blot All lanes: CFHR2 antibody at 2µg/ml Lane 1: Hela whole cell lysate Lane 2: 293T whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/10000 dilution Predicted band size: 31, 28 kDa Observed band size: 36 kDa



Immunohistochemistry of paraffin-embedded human liver tissue using PACO33384 at dilution of 1:100