

Botulinum neurotoxin type C1 Antibody

PACO34322

Description

This Botulinum neurotoxin type C1 Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Product Information

| | |
|----------------------|---|
| SKU: | PACO34322 |
| Contents: | 50µg Bradford Reagent: 1 vial (2ml) |
| Category: | - |
| Synonyms: | Botulinum neurotoxin type C antibody, BoNT/C antibody, Bontoxilysin-C1 antibody, BoNT/C1 antibody, Botulinum neurotoxin type C1) [Cleaved into: Botulinum neurotoxin C light chain antibody, LC antibody, EC 3.4.24.69), Botulinum neurotoxin C heavy chain antibody, HC)] antibody |
| Clone: | Polyclonal |
| Applications: | ELISA |
| Conjugation: | Non-conjugated |
| Reactivity: | Clostridium botulinum |

Antibody Data

| | |
|---------------------------|--|
| Isotype: | IgG |
| Uniprot: | P18640 |
| Host Species: | Rabbit |
| Purification: | >95%, Protein G purified |
| Immunogen: | Recombinant Clostridium botulinum Botulinum neurotoxin type C1 protein (2-428AA) |
| Immunogen Species: | Clostridium botulinum |
| Buffer: | Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 |
| Form: | Liquid |

Manufacturers Statement: This final kit system is assembled and quality-released by Assay Genie Limited.

Preparation & Storage

Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Store Bradford Reagent at Room Temperature for 1 Year.

Recommended Dilutions:

| Application | Recommended Dilution |
|-------------|----------------------|
| - | - |

Protein Quantification (Optional): To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol

Validation Data

| Image | Description |
|-------|-------------|
| - | - |