

cyp125 Antibody

PACO34598

Description

This cyp125 Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Product Information

| | |
|----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SKU: | PACO34598 |
| Contents: | 50µg Bradford Reagent: 1 vial (2ml) |
| Category: | - |
| Synonyms: | cyp125 antibody, cyp125A1 antibody, Rv3545c antibody, MTCY03C7.11Steroid C26-monoxygenase antibody, EC 1.14.15.29 antibody, Cholest-4-en-3-one 26-monoxygenase antibody, Cholest-4-en-3-one C26-monoxygenase [(25S)-3-oxocholest-4-en-26-oate forming] antibody, Cholesterol C26-monoxygenase antibody, Cholesterol C26-monoxygenase [(25S)-3beta-hydroxycholest-5-en-26-oate forming] antibody, Cytochrome P450 125 antibody, Steroid C27-monoxygenase antibody |
| Clone: | Polyclonal |
| Applications: | ELISA |
| Conjugation: | Non-conjugated |
| Reactivity: | Mycobacterium tuberculosis |

Antibody Data

| | |
|---------------------------|-----------------------------------------------------------------------------------|
| Isotype: | IgG |
| Uniprot: | P9WPP1 |
| Host Species: | Rabbit |
| Purification: | >95%, Protein G purified |
| Immunogen: | Recombinant Mycobacterium tuberculosis Steroid C26-monoxygenase protein (1-433AA) |
| Immunogen Species: | Mycobacterium tuberculosis (strain ATCC 25618 / H37Rv) |

Buffer: Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

Form: Liquid

Preparation & Storage

Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Store Bradford Reagent at Room Temperature for 1 Year.

Recommended Dilutions:

| Application | Recommended Dilution |
|-------------|----------------------|
| - | - |

Protein Quantification (Optional): To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol

Validation Data

| Image | Description |
|-------|-------------|
| - | - |