

FAHD2A Antibody

PACO38150

Description

This FAHD2A Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Product Information

SKU:	PACO38150
Contents:	50µg Bradford Reagent: 1 vial (2ml)
Category:	-
Synonyms:	CGI 105 antibody, FAH2A_HUMAN antibody, FAHD 2A antibody, FAHD2A antibody, Fumarylacetoacetate hydrolase domain containing 1 antibody, Fumarylacetoacetate hydrolase domain containing 2A antibody, Fumarylacetoacetate hydrolase domain containing protein 2A antibody, Fumarylacetoacetate hydrolase domain-containing protein 2A antibody, MGC131995 antibody, OTTHUMP00000207352 antibody
Clone:	Polyclonal
Applications:	ELISA WB IHC
Conjugation:	Non-conjugated
Reactivity:	Human

Antibody Data

Isotype:	IgG
Uniprot:	Q96GK7
Host Species:	Rabbit
Purification:	Antigen Affinity Purified
Immunogen:	Recombinant Human Fumarylacetoacetate hydrolase domain-containing protein 2A protein (4-314AA)
Immunogen Species:	Homo sapiens (Human)
Buffer:	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

Manufacturers Statement: This final kit system is assembled and quality-released by Assay Genie Limited.

Form: Liquid

Preparation & Storage


Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. Store Bradford Reagent at Room Temperature for 1 Year.

Recommended Dilutions:	Application	Recommended Dilution
	WB	1:1000-1:5000
	IHC	1:20-1:200

Protein Quantification (Optional): To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol


Validation Data

Image



Description

Western blot All lanes: FAHD2A antibody at 0.5µg/ml Lane 1: K562 whole cell lysate Lane 2: U87 whole cell lysate Lane 3: A549 whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/10000 dilution Predicted band size: 35 kDa Observed band size: 35 kDa



Immunohistochemistry of paraffin-embedded human adrenal gland tissue using PACO38150 at dilution of 1:100