

## NUDT11 Antibody

PACO38450

### Description

---

This NUDT11 Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

### Product Information

---

**SKU:** PACO38450

**Contents:** 50µg

Bradford Reagent: 1 vial (2ml)

**Category:** -

**Synonyms:** NUDT11 antibody, APS1 antibody, DIPP3BDiphosphoinositol polyphosphate phosphohydrolase 3-beta antibody, DIPP-3-beta antibody, DIPP3-beta antibody, hDIPP3beta antibody, EC 3.6.1.52 antibody, Diadenosine 5',5'''-P1,P6-hexaphosphate hydrolase 3-beta antibody, Diadenosine hexaphosphate hydrolase antibody, AMP-forming) antibody, EC 3.6.1.60 antibody, Nucleoside diphosphate-linked moiety X motif 11 antibody, Nudix motif 11 antibody, hAps1 antibody

**Clone:** Polyclonal

**Applications:** **ELISA** **WB** **IHC**

**Conjugation:** Non-conjugated

**Reactivity:** Human

### Antibody Data

---

**Isotype:** IgG

**Uniprot:** Q96G61

**Host Species:** Rabbit

**Purification:** Antigen Affinity Purified

**Immunogen:** Recombinant Human Diphosphoinositol polyphosphate phosphohydrolase 3-beta protein (1-164AA)

**Immunogen Species:** Homo sapiens (Human)

**Buffer:** Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

**Form:** Liquid

## Preparation & Storage


**Storage:** Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. Store Bradford Reagent at Room Temperature for 1 Year.

Recommended Dilutions:	Application	Recommended Dilution
	WB	1:500-1:2000
	IHC	1:20-1:200

**Protein Quantification (Optional):** To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol


## Validation Data

### Image



### Description

Western blot All lanes: NUDT11 antibody at 2 $\mu$ g/ml + U251 whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/10000 dilution Predicted band size: 19 kDa Observed band size: 19 kDa



Immunohistochemistry of paraffin-embedded human testis tissue using PACO38450 at dilution of 1:100