

HDDC3 Antibody

PACO38538

Description

This HDDC3 Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Product Information

SKU:	PACO38538
Contents:	50µg Bradford Reagent: 1 vial (2ml)
Category:	-
Synonyms:	(ppGpp)ase antibody, 5''-bis(diphosphate) 3''-pyrophosphohydrolase MESH1 antibody, Guanosine-3'' antibody, HD domain containing 3 antibody, HD domain containing protein 3 antibody, HD domain-containing protein 3 antibody, HDDC 3 antibody, Hddc3 antibody, MESH1 antibody, MESH1_HUMAN antibody, Metazoan SpoT homolog 1 antibody, MGC45386 antibody, Penta-phosphate guanosine-3''-pyrophosphohydrolase antibody
Clone:	Polyclonal
Applications:	ELISA WB IHC
Conjugation:	Non-conjugated
Reactivity:	Human, Mouse

Antibody Data

Isotype:	IgG
Uniprot:	Q8N4P3
Host Species:	Rabbit
Purification:	>95%, Protein G purified
Immunogen:	Recombinant Human Guanosine-3',5'-bis(diphosphate) 3'-pyrophosphohydrolase MESH1 protein (2-140AA)
Immunogen Species:	Homo sapiens (Human)
Buffer:	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

Manufacturers Statement: This final kit system is assembled and quality-released by Assay Genie Limited.

Form: Liquid

Preparation & Storage


Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. Store Bradford Reagent at Room Temperature for 1 Year.

Recommended Dilutions:	Application	Recommended Dilution
	WB	1:1000-1:5000
	IHC	1:20-1:200

Protein Quantification (Optional): To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol


Validation Data

Image




Description

Western blot All lanes: HDDC3 antibody at 2µg/ml + Mouse heart tissue Secondary Goat polyclonal to rabbit IgG at 1/10000 dilution Predicted band size: 21, 16 kDa Observed band size: 21 kDa



Immunohistochemistry of paraffin-embedded human prostate cancer using PACO38538 at dilution of 1:100



Western Blot Positive WB detected in: 293 whole cell lysate, K562 whole cell lysate All lanes: HDDC3 antibody at 1:2000 Secondary Goat polyclonal to rabbit IgG at 1/50000 dilution Predicted

band size: 21, 16 kDa Observed band
size: 21 kDa