

## ASAP3 Antibody

PACO38610

### Description

---

This ASAP3 Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

### Product Information

---

**SKU:** PACO38610

**Contents:** 50µg

Bradford Reagent: 1 vial (2ml)

**Category:** -

**Synonyms:** 9430088F20Rik antibody, ACAP4 antibody, ANK repeat and PH domain-containing protein 3 antibody, Arf GAP with SH3 domain antibody, Arf GAP with SH3 domain, ANK repeat and PH domain containing protein 3 antibody, Arf-GAP with SH3 domain antibody, ARF6 GTPase activating protein antibody, ArfGAP with SH3 domain, ankyrin repeat and PH domain antibody, ArfGAP with SH3 domain, ankyrin repeat and PH domain 3 1 antibody, ASAP3 antibody, ASAP3\_HUMAN antibody, BOS\_2358 antibody, Centaurin, beta 6 antibody, CENTB6 antibody, DDEF1 antibody, Development and differentiation enhancing factor like 1 antibody...[Read more](#)

**Clone:** Polyclonal

**Applications:** **ELISA** **WB** **IHC**

**Conjugation:** Non-conjugated

**Reactivity:** Human

### Antibody Data

---

**Isotype:** IgG

**Uniprot:** Q8TDY4

**Host Species:** Rabbit

**Purification:** Antigen Affinity Purified

**Immunogen:** Recombinant Human Arf-GAP with SH3 domain, ANK repeat and PH domain-containing protein 3 protein (451-700AA)

**Immunogen Species:** Homo sapiens (Human)

**Manufacturers Statement:** This final kit system is assembled and quality-released by Assay Genie Limited.

**Buffer:** Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS,  
PH 7.4

**Form:** Liquid

## Preparation & Storage


**Storage:** Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. Store Bradford Reagent at Room Temperature for 1 Year.

Recommended Dilutions:	Application	Recommended Dilution
	WB	1:1000-1:5000
	IHC	1:20-1:200

**Protein Quantification (Optional):** To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol


## Validation Data


### Image



### Description

Western blot All lanes: ASAP3 antibody at 1 $\mu$ g/ml Lane 1: A549 whole cell lysate Lane 2: MCF-7 whole cell lysate Lane 3: K562 whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/10000 dilution Predicted band size: 100, 44, 98 kDa Observed band size: 100 kDa





Immunohistochemistry of paraffin-embedded human skeletal muscle tissue using PACO38610 at dilution of 1:100