

TRIM51 Antibody

PACO40958

Description

This TRIM51 Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Product Information

SKU:	PACO40958
Contents:	50µg Bradford Reagent: 1 vial (2ml)
Category:	-
Synonyms:	MGC10977 antibody, SPRY domain containing 5 antibody, SPRY domain containing protein 5 antibody, SPRY domain-containing protein 5 antibody, SPRY5_HUMAN antibody, SPRYD5 antibody, TRIM51 antibody, TRIM51A antibody, Tripartite motif containing 51 antibody, Tripartite motif containing protein 51 antibody, Tripartite motif-containing protein 51 antibody
Clone:	Polyclonal
Applications:	ELISA WB IHC
Conjugation:	Non-conjugated
Reactivity:	Human

Antibody Data

Isotype:	IgG
Uniprot:	Q9BSJ1
Host Species:	Rabbit
Purification:	Antigen Affinity Purified
Immunogen:	Recombinant Human Tripartite motif-containing protein 51 protein (160-452AA)
Immunogen Species:	Homo sapiens (Human)
Buffer:	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Form:	Liquid

Manufacturers Statement: This final kit system is assembled and quality-released by Assay Genie Limited.

Preparation & Storage


Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Store Bradford Reagent at Room Temperature for 1 Year.

Recommended Dilutions:	Application	Recommended Dilution
	WB	1:500-1:2000
IHC	1:20-1:200	

Protein Quantification (Optional): To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol


Validation Data

Image




Description

Western blot All lanes: TRIM51 antibody at 1.2µg/ml + Jurkat whole cell lysate
Secondary Goat polyclonal to rabbit IgG at 1/10000 dilution Predicted band size: 53, 36 kDa Observed band size: 36 kDa



Immunohistochemistry of paraffin-embedded human cervical cancer using PACO40958 at dilution of 1:100



Immunohistochemistry of paraffin-embedded human liver cancer using PACO40958 at dilution of 1:100