

## RAVER2 Antibody

PACO41138

### Description

---

This RAVER2 Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

### Product Information

---

<b>SKU:</b>	PACO41138
<b>Contents:</b>	50µg Bradford Reagent: 1 vial (2ml)
<b>Category:</b>	-
<b>Synonyms:</b>	DKFZp762D1011 antibody, FLJ10770 antibody, KIAA1579 antibody, Protein raver 2 antibody, Protein raver-2 antibody, Raver2 antibody, RAVR2_HUMAN antibody, Ribonucleoprotein PTB binding 2 antibody, Ribonucleoprotein PTB-binding 2 antibody
<b>Clone:</b>	Polyclonal
<b>Applications:</b>	ELISA WB IHC IF
<b>Conjugation:</b>	Non-conjugated
<b>Reactivity:</b>	Human

### Antibody Data

---

<b>Isotype:</b>	IgG
<b>Uniprot:</b>	Q9HCJ3
<b>Host Species:</b>	Rabbit
<b>Purification:</b>	>95%, Protein G purified
<b>Immunogen:</b>	Recombinant Human Ribonucleoprotein PTB-binding 2 protein (2-691AA)
<b>Immunogen Species:</b>	Homo sapiens (Human)
<b>Buffer:</b>	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
<b>Form:</b>	Liquid

**Manufacturers Statement:** This final kit system is assembled and quality-released by Assay Genie Limited.

## Preparation & Storage

**Storage:** Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.  
Store Bradford Reagent at Room Temperature for 1 Year.


**Recommended Dilutions:**

Application	Recommended Dilution
WB	1:500-1:5000
IHC	1:20-1:200
IF	1:50-1:200

**Protein Quantification (Optional):** To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol


## Validation Data

**Image**




**Description**

Immunohistochemistry of paraffin-embedded human prostate cancer using PACO41138 at dilution of 1:100



Western Blot Positive WB detected in: Jurkat whole cell lysate, SH-SY5Y whole cell lysate All lanes: RAVR2 antibody at 3µg/ml Secondary Goat polyclonal to rabbit IgG at 1/50000 dilution Predicted band size: 75, 73 kDa Observed band size: 75 kDa



Immunofluorescent analysis of PC-3 cells using PACO41138 at dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)