RWDD2A Antibody

PACO41810

Description

This RWDD2A Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Product Information

SKU:	PACO41810
Contents:	50µg Bradford Reagent: 1 vial (2ml)
Category:	-
Synonyms:	1700030C20Rik antibody, AI848608 antibody, dJ747H23.2 antibody, MGC13523 antibody, MGC138208 antibody, MGC144625 antibody, MGC144626 antibody, OTTHUMP00000016790 antibody, OTTHUMP00000040569 antibody, RWD domain containing 2 antibody, RWD domain containing 2A antibody, RWD domain-containing protein 2A antibody, RWD2A_HUMAN antibody, Rwdd2 antibody, Rwdd2a antibody, Rwdd2a RWD domain containing 2A antibody
Clone:	Polyclonal
Applications:	ELISA WB IHC
Conjugation:	Non-conjugated
Reactivity:	Human, Mouse

Antibody Data

Isotype:	IgG
Uniprot:	Q9UIY3
Host Species:	Rabbit
Purification:	Antigen Affinity Purified
Immunogen:	Recombinant Human RWD domain-containing protein 2A protein (1-292AA)
Immunogen Species:	Homo sapiens (Human)

Buffer:	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Form:	Liquid

Preparation & Storage

Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Store Bradford Reagent at Room Temperature for 1 Year.

Recommended Dilutions:

Application	Recommended Dilution
WB	1:500-1:2000
IHC	1:20-1:200

Protein Quantification (Optional): To quantify total protein levels, use the Bradford Reagent included in this kit. Visit https://www.assaygenie.com/bradford-protein-assay-protocol/ to view the full protocol

Validation Data

Image



Description
Western blot All lanes: RWDD2A antibody at 0.2µg/ml Lane 1: Mouse thymus tissue Lane 2: A549 whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/10000 dilution Predicted band size: 34, 28 kDa Observed band size: 34 kDa



Immunohistochemistry of paraffin-embedded human small intestine tissue using PACO41810 at dilution of 1:100