

OSGIN2 Antibody

PACO42810

Description

This OSGIN2 Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Product Information

SKU:	PACO42810
Contents:	50µg Bradford Reagent: 1 vial (2ml)
Category:	-
Synonyms:	OSGIN2 antibody, C8orf1 antibody, Oxidative stress-induced growth inhibitor 2 antibody, hT41 antibody
Clone:	Polyclonal
Applications:	ELISA WB IHC
Conjugation:	Non-conjugated
Reactivity:	Human

Antibody Data

Isotype:	IgG
Uniprot:	Q9Y236
Host Species:	Rabbit
Purification:	>95%, Protein G purified
Immunogen:	Recombinant Human Oxidative stress-induced growth inhibitor 2 protein (1-250AA)
Immunogen Species:	Homo sapiens (Human)
Buffer:	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4
Form:	Liquid

Preparation & Storage


Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. Store Bradford Reagent at Room Temperature for 1 Year.

Recommended Dilutions:	Application	Recommended Dilution
	WB	1:500-1:2000
	IHC	1:20-1:200

Protein Quantification (Optional): To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol


Validation Data

Image




Description

Western blot All lanes: OSGIN2 antibody at 0.8µg/ml + HepG2 whole cell lysate Secondary Goat polyclonal to rabbit IgG at 1/10000 dilution Predicted band size: 57, 62 kDa Observed band size: 57 kDa



Immunohistochemistry of paraffin-embedded human thyroid tissue using PACO42810 at dilution of 1:100



Immunohistochemistry of paraffin-embedded human breast cancer using PACO42810 at dilution of 1:100