

SLCO1B3 Antibody

PACO48758

Description

This SLCO1B3 Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Product Information

SKU:	PACO48758
Contents:	50µg Bradford Reagent: 1 vial (2ml)
Category:	-
Synonyms:	HBLRR antibody, Liver-specific organic anion transporter 2 antibody, LST-2 antibody, LST-3TM13 antibody, LST3 antibody, OATP-8 antibody, OATP1B3 antibody, Organic anion transporter 8 antibody, Organic anion-transporting polypeptide 8 antibody, SLC21A8 antibody, SLCO1B3 antibody, SO1B3_HUMAN antibody, Solute carrier family 21 member 8 antibody, Solute carrier organic anion transporter family member 1B3 antibody
Clone:	Polyclonal
Applications:	ELISA IHC IF
Conjugation:	Non-conjugated
Reactivity:	Human

Antibody Data

Isotype:	IgG
Uniprot:	Q9NPD5
Host Species:	Rabbit
Purification:	>95%, Protein G purified
Immunogen:	Recombinant Human Solute carrier organic anion transporter family member 1B3 protein (648-695AA)
Immunogen Species:	Homo sapiens (Human)
Buffer:	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

Manufacturers Statement: This final kit system is assembled and quality-released by Assay Genie Limited.

Form: Liquid

Preparation & Storage


Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. Store Bradford Reagent at Room Temperature for 1 Year.

Recommended Dilutions:	Application	Recommended Dilution
	IHC	1:20-1:200
	IF	1:50-1:200

Protein Quantification (Optional): To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol


Validation Data

Image




Description

Immunohistochemistry of paraffin-embedded human liver tissue using PACO48758 at dilution of 1:100



Immunohistochemistry of paraffin-embedded human liver cancer using PACO48758 at dilution of 1:100



Immunofluorescent analysis of HepG2 cells using PACO48758 at dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)