

## TMIGD2 Antibody

PACO50894

### Description

---

This TMIGD2 Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

### Product Information

---

<b>SKU:</b>	PACO50894
<b>Contents:</b>	50µg Bradford Reagent: 1 vial (2ml)
<b>Category:</b>	-
<b>Synonyms:</b>	CD28H antibody, IGPR 1 antibody, IGPR1 antibody, immunoglobulin and proline-rich receptor 1 antibody, immunoglobulin-containing and proline-rich receptor 1 antibody, TMIG2_HUMAN antibody, TMIGD2 antibody, Transmembrane and immunoglobulin domain containing 2 antibody, Transmembrane and immunoglobulin domain-containing protein 2 antibody, transmembrane and immunoglobulin domain-containing protein 2 variant 2 antibody, transmembrane and immunoglobulin domain-containing protein 2 variant 3 antibody, UNQ3059/PRO9879 antibody
<b>Clone:</b>	Polyclonal
<b>Applications:</b>	<a href="#">ELISA</a> <a href="#">IHC</a> <a href="#">IF</a>
<b>Conjugation:</b>	Non-conjugated
<b>Reactivity:</b>	Human

### Antibody Data

---

<b>Isotype:</b>	IgG
<b>Uniprot:</b>	Q96BF3
<b>Host Species:</b>	Rabbit
<b>Purification:</b>	>95%, Protein G purified
<b>Immunogen:</b>	Recombinant Human Transmembrane and immunoglobulin domain-containing protein 2 protein (23-150AA)
<b>Immunogen Species:</b>	Homo sapiens (Human)

**Buffer:** Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4

**Form:** Liquid

## Preparation & Storage

---

**Storage:** Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.  
Store Bradford Reagent at Room Temperature for 1 Year.


Recommended Dilutions:	Application	Recommended Dilution
	IHC	1:20-1:200
	IF	1:50-1:200

**Protein Quantification (Optional):** To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol

## Validation Data


---

### Image



### Description

Immunohistochemistry of paraffin-embedded human kidney tissue using PACO50894 at dilution of 1:100



Immunofluorescent analysis of PC-3 cells using PACO50894 at dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)