

fbpC Antibody

PACO53434

Description

This fbpC Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Product Information

SKU:	PACO53434
Contents:	50µg Bradford Reagent: 1 vial (2ml)
Category:	-
Synonyms:	fbpC antibody, mpt45 antibody, MT0137Diacylglycerol acyltransferase/mycolyltransferase Ag85C antibody, DGAT antibody, EC 2.3.1.122 antibody, EC 2.3.1.20 antibody, Acyl-CoA:diacylglycerol acyltransferase antibody, Antigen 85 complex C antibody, 85C antibody, Ag85C antibody, Fibronectin-binding protein C antibody, Fbps C antibody
Clone:	Polyclonal
Applications:	ELISA WB
Conjugation:	Non-conjugated
Reactivity:	Mycobacterium tuberculosis

Antibody Data

Isotype:	IgG
Uniprot:	P9WQN8
Host Species:	Rabbit
Purification:	>95%, Protein G purified
Immunogen:	Recombinant Mycobacterium tuberculosis Diacylglycerol acyltransferase/mycolyltransferase Ag85C protein (46-340AA)
Immunogen Species:	Mycobacterium tuberculosis
Buffer:	Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4
Form:	Liquid

Manufacturers Statement: This final kit system is assembled and quality-released by Assay Genie Limited.

Preparation & Storage


Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Store Bradford Reagent at Room Temperature for 1 Year.

Recommended Dilutions:	Application	Recommended Dilution
	WB	1:500-1:5000

Protein Quantification (Optional): To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol

Validation Data

Image



Description

Western Blot Positive WB detected in Recombinant protein All lanes: fbpC antibody at 2.8µg/ml Secondary Goat polyclonal to rabbit IgG at 1/50000 dilution Predicted band size: 37 kDa Observed band size: 37 kDa