

TAF8 Antibody

PACO53870

Description

This TAF8 Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Product Information

SKU:	PACO53870
Contents:	50µg Bradford Reagent: 1 vial (2ml)
Category:	-
Synonyms:	FLJ32821 antibody, hTAFII43 antibody, Protein taube nuss antibody, TAF(II)43 antibody, taf8 antibody, TAF8 RNA polymerase II, TATA box binding protein (TBP) associated factor, 43kDa antibody, TAF8_HUMAN antibody, TAFII-43 antibody, TAFII43 antibody, TATA box binding protein (TBP) associated factor, RNA polymerase II A 45/50kDa antibody, Taube nuss homolog (mouse) antibody, TBN antibody, TBP associated factor 8 antibody, TBP associated factor TAFII43 antibody, TBP associated factor, RNA polymerase II, 43 kD antibody, TBP-associated factor 43 kDa antibody, TBP-associated factor 8 antibody, Trans... Read more
Clone:	Polyclonal
Applications:	ELISA WB
Conjugation:	Non-conjugated
Reactivity:	Human, Mouse, Rat

Antibody Data

Isotype:	IgG
Uniprot:	Q7Z7C8
Host Species:	Rabbit
Purification:	>95%, Protein G purified
Immunogen:	Recombinant Human Transcription initiation factor TFIID subunit 8 protein (122-311AA)
Immunogen Species:	Homo sapiens (Human)

Manufacturers Statement: This final kit system is assembled and quality-released by Assay Genie Limited.

Buffer: Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4

Form: Liquid

Preparation & Storage


Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Store Bradford Reagent at Room Temperature for 1 Year.

Recommended Dilutions:	Application	Recommended Dilution
	WB	1:500-1:5000

Protein Quantification (Optional): To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol

Validation Data

Image



Description

Western Blot Positive WB detected in: Rat kidney tissue, Mouse liver tissue All lanes: TAF8 antibody at 2.5µg/ml Secondary Goat polyclonal to rabbit IgG at 1/50000 dilution Predicted band size: 35, 38 kDa Observed band size: 38 kDa