

## HIPK3 Antibody

PACO53922

### Description

---

This HIPK3 Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

### Product Information

---

**SKU:** PACO53922

**Contents:** 50µg  
Bradford Reagent: 1 vial (2ml)

**Category:** -

**Synonyms:** Androgen receptor interacting nuclear protein kinase antibody, Androgen receptor-interacting nuclear protein kinase antibody, ANPK antibody, DYRK6 antibody, Fas interacting serine/threonine protein kinase antibody, Fas-interacting serine/threonine-protein kinase antibody, FIST antibody, FIST3 antibody, Hipk3 antibody, HIPK3\_HUMAN antibody, homeodomain interacting protein kinase 3 antibody, Homeodomain-interacting protein kinase 3 antibody, Homolog of protein kinase YAK1 antibody, PKY antibody, RP24 297H17.5 antibody, YAK1 antibody

**Clone:** Polyclonal

**Applications:** **ELISA** **IHC** **IF**

**Conjugation:** Non-conjugated

**Reactivity:** Human

### Antibody Data

---

**Isotype:** IgG

**Uniprot:** Q9H422

**Host Species:** Rabbit

**Purification:** >95%, Protein G purified

**Immunogen:** Recombinant Human Homeodomain-interacting protein kinase 3 protein (841-1130AA)

**Immunogen Species:** Homo sapiens (Human)

**Buffer:** Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4

**Form:** Liquid

## Preparation & Storage

---

**Storage:** Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.  
Store Bradford Reagent at Room Temperature for 1 Year.

**Recommended Dilutions:**


Application	Recommended Dilution
IHC	1:20-1:200
IF	1:50-1:200

**Protein Quantification (Optional):** To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol

## Validation Data


---

### Image




### Description

Immunohistochemistry of paraffin-embedded human bladder cancer using PACO53922 at dilution of 1:100



Immunohistochemistry of paraffin-embedded human colon cancer using PACO53922 at dilution of 1:100



Immunofluorescent analysis of MCF-7 cells using PACO53922 at dilution of 1:100 and Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L)