

PHOX2A Antibody

PACO56924

Description

This PHOX2A Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Product Information

SKU:	PACO56924
Contents:	50µg Bradford Reagent: 1 vial (2ml)
Category:	-
Synonyms:	Aristaless homeobox (Drosophila) fibrosis of extraocular muscles congenital 2 autosomal recessive antibody, Aristaless homeobox gene homolog (Drosophila) antibody, Aristaless homeobox homolog antibody, Aristaless homeobox protein homolog antibody, ARIX 1 homeodomain protein antibody, ARIX antibody, Arix homeodomain protein antibody, ARIX1 homeodomain protein antibody, CFEOM 2 antibody, CFEOM2 antibody, FEOM 2 antibody, FEOM2 antibody, Fibrosis of extraocular muscles congenital 2 autosomal recessive antibody, MGC52227 antibody, NCAM 2 antibody, NCAM2 antibody, Paired like (aristaless) Homeobox ...Read more
Clone:	Polyclonal
Applications:	ELISA IHC
Conjugation:	Non-conjugated
Reactivity:	Human

Antibody Data

Isotype:	IgG
Uniprot:	O14813
Host Species:	Rabbit
Purification:	>95%, Protein G purified
Immunogen:	Recombinant Human Paired mesoderm homeobox protein 2A protein (150-264AA)
Immunogen Species:	Homo sapiens (Human)

Manufacturers Statement: This final kit system is assembled and quality-released by Assay Genie Limited.

Buffer: Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4

Form: Liquid

Preparation & Storage


Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Store Bradford Reagent at Room Temperature for 1 Year.

Recommended Dilutions:	Application	Recommended Dilution
	IHC	1:200-1:500

Protein Quantification (Optional): To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol

Validation Data

Image



Description

IHC image of PACO56924 diluted at 1:300 and staining in paraffin-embedded human testis tissue performed on a Leica BondTM system.