

LILRA3 Antibody

PACO58324

Description

This LILRA3 Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Product Information

SKU:	PACO58324
Contents:	50µg Bradford Reagent: 1 vial (2ml)
Category:	-
Synonyms:	CD 85E antibody, CD85 antigen-like family member E antibody, CD85e antibody, CD85e antigen antibody, e3 antibody, HM 31 antibody, HM 43 antibody, HM31 antibody, HM43 antibody, ILT 6 antibody, ILT-6 antibody, ILT6 antibody, Immunoglobulin like transcript 6 antibody, Immunoglobulin-like transcript 6 antibody, Leucocyte immunoglobulin like receptor antibody, Leukocyte immunoglobulin like receptor 4 antibody, Leukocyte immunoglobulin like receptor A3 antibody, Leukocyte immunoglobulin like receptor subfamily A (without TM domain) member 3 antibody, Leukocyte immunoglobulin like receptor subfamily ... Read more
Clone:	Polyclonal
Applications:	ELISA WB IHC
Conjugation:	Non-conjugated
Reactivity:	Human

Antibody Data

Isotype:	IgG
Uniprot:	Q8N6C8
Host Species:	Rabbit
Purification:	>95%, Protein G purified
Immunogen:	Recombinant Human Leukocyte immunoglobulin-like receptor subfamily A member 3 protein (222-313AA)
Immunogen Species:	Homo sapiens (Human)

Manufacturers Statement: This final kit system is assembled and quality-released by Assay Genie Limited.

Buffer: Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4

Form: Liquid

Preparation & Storage


Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.
Store Bradford Reagent at Room Temperature for 1 Year.

Recommended Dilutions:	Application	Recommended Dilution
	WB	1:500-1:5000
IHC	1:200-1:500	

Protein Quantification (Optional): To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol

Validation Data

Image



Description

Western Blot Positive WB detected in: A549 whole cell lysate, Jurkat whole cell lysate All lanes: LILRA3 antibody at 4.2µg/ml Secondary Goat polyclonal to rabbit IgG at 1/50000 dilution Predicted band size: 48, 41, 50 kDa Observed band size: 48 kDa

IHC image of PACO58324 diluted at 1:300 and staining in paraffin-embedded human lung tissue performed on a Leica Bond™ system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.