

CCDC170 Antibody

PACO61482

Description

This CCDC170 Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

Product Information

| | |
|----------------------|--|
| SKU: | PACO61482 |
| Contents: | 50µg Bradford Reagent: 1 vial (2ml) |
| Category: | - |
| Synonyms: | bA282P11.1 antibody, CC170_HUMAN antibody, CCDC170 antibody, Chromosome 6 open reading frame 97 antibody, Coiled coil domain containing protein C6orf97 antibody, Coiled-coil domain-containing protein 170 antibody, FLJ23305 antibody, Hypothetical protein LOC80129 antibody, LOC80129 antibody |
| Clone: | Polyclonal |
| Applications: | ELISA WB |
| Conjugation: | Non-conjugated |
| Reactivity: | Human |

Antibody Data

| | |
|---------------------------|---|
| Isotype: | IgG |
| Uniprot: | Q8IYT3 |
| Host Species: | Rabbit |
| Purification: | >95%, Protein G purified |
| Immunogen: | Recombinant Human Coiled-coil domain-containing protein 170 protein (574-651AA) |
| Immunogen Species: | Homo sapiens (Human) |
| Buffer: | Preservative: 0.03% Proclin 300 Constituents: 50% Glycerol, 0.01M PBS, pH 7.4 |
| Form: | Liquid |

Manufacturers Statement: This final kit system is assembled and quality-released by Assay Genie Limited.

Preparation & Storage


Storage: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. Store Bradford Reagent at Room Temperature for 1 Year.

| Recommended Dilutions: | Application | Recommended Dilution |
|------------------------|-------------|----------------------|
| | WB | 1:500-1:5000 |

Protein Quantification (Optional): To quantify total protein levels, use the Bradford Reagent included in this kit. Visit <https://www.assaygenie.com/bradford-protein-assay-protocol/> to view the full protocol

Validation Data

Image



Description

Western Blot Positive WB detected in: HepG2 whole cell lysate, PC-3 whole cell lysate All lanes: CCDC170 antibody at 5µg/ml Secondary Goat polyclonal to rabbit IgG at 1/50000 dilution Predicted band size: 83 kDa Observed band size: 83 kDa