# Recombinant NAG-2 Monoclonal Antibody

## Description

This Recombinant NAG-2 Monoclonal Antibody is supplied as a kit for advanced applications. The kit includes Bradford Reagent to quantify total protein concentration for accurate sample normalization (Optional).

## Product Information

| | |
|---|---|
| **SKU:** | RMEA0839 |
| **Contents:** | Recombinant NAG-2 Monoclonal Antibody (50 µL, 100 µL)<br>Bradford Reagent: 1 vial (2ml) |
| **Clone:** | C130838 |
| **Applications:** | WB |
| **Reactivity:** | Human, Mouse, Rat |


## Antibody Data

| | |
|---|---|
| **Uniprot ID:** | O14817 |
| **Size:** | 50 µL, 100 µL |
| **Host Species:** | Rabbit |
| **Isotype:** | Rabbit IgG |
| **Conjugation:** | Unconjugated |
| **Buffer:** | PBS, 50% glycerol, 0.05% Proclin 300, 0.05% protein protectant. |

## Preparation & Storage

| | |
|---|---|
| **Storage:** | Store at -20°C Valid for 12 months. Avoid freeze / thaw cycles. Store Bradford Reagent at Room Temperature for 1 Year. |
| **Shipping:** | Gel Pack |
| **Preparation:** | WB 1:1000-1:5000 |
| **Protein Quantification (Optional):** | To quantify total protein levels, use the Bradford Reagent included in this kit. Visit https://www.assaygenie.com/bradford-protein-assay-protocol/ to view the full protocol |
| **Notes:** | Centrifuge before opening to ensure complete recovery of vial contents. |

## Validation Data




Western Blot with Recombinant NAG-2 Monoclonal Antibody at dilution of 1:1000 dilution. Lane A: HepG2 lysate. Observed-MW:26 kDa Calculated-MW:26 kDa

**Manufacturers Statement**

This final kit system is assembled and quality-released by Assay Genie Limited.