

SAFETY DATA SHEET

Section 1: Identification

Product Identifier: Lipoxygenase (LOX) Activity Fluorometric Assay Kit (#MAES0320)

Relevant Identified Uses of Substance or Mixture and Uses Advised Against:

Recommended Use: For Research Use Only

Uses Advised against: No information

Company:

Assay Genie
25 Windsor Place
D02VY42
Dublin 2
Ireland
+353 (01) 8879802

For information about this SDS, please contact: techsupport@assaygenie.com

Section 2: Hazard(s) Identification

2.1 GHS Classification

Skin Corrosion/Irritation - Category 2

Eye Irritation - Category 2A

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram:

Signal Word: Warning

H315: Causes skin irritation.

H319: Causes serious eye irritation.

Precautionary Statements

P210 Keep away from heat/ sparks/ open flames/ hot surfaces. No smoking.

P280 Wear protective gloves/ eye protection/ face protection.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

P403 + P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/ container to an approved waste plant.

2.3 Other hazards: none.



Section 3: Composition/ Information on Ingredients

Items	Component	Physical form	Hazardous Ingredient	Concentration	CAS No.
Reagent 1	Buffer	Odorless and	No hazards	-	-

	Solution	colorless, liquid			
Reagent 2	Substrate	Odorless and yellow, liquid	Dimethyl sulfoxide (DMSO)	0.04%	67-68-5
Reagent 3	Probe	Odorless and pink, powder	No hazards	-	-
Reagent 4	Probe Solution	Odorless and colorless, liquid	Dimethyl sulfoxide (DMSO)	0.05%	67-68-5
Reagent 5	1 mmol/L Standard	Odorless and orange, liquid	Dimethyl sulfoxide (DMSO)	0.04%	67-68-5

Section 4: First-Aid Measures

- Classification according to GHS

4.1 General advice

- Consult a physician. Show this safety data sheet to the doctor in attendance.

4.2 If inhaled

- If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

4.3 In case of skin contact

- Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

4.4 In case of eye contact

- Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

4.5 If swallowed

- Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Section 5: Fire-Fighting Measures

5.1 Suitable extinguishing media

- **Suitable:** Water spray, alcohol-resistant foam, dry chemical, carbon dioxide or appropriate foam.
- For small fires, use media such as "alcohol" foam, dry chemical or carbon dioxide.
- For large fires, apply water from as far as possible. Use large quantities of water applied as a mist or spray. Solid streams
- of water may be ineffective. Cool affected containers with flooding quantities of water.

5.2 Special precautions for fire-fighters

- **Protective Equipment:** Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and
- eyes.

5.3 Special hazards arising from the substance or mixture

- Carbon oxides, Nitrogen oxides (NO_x), Sulphur oxides, Hydrogen chloride gas.

Section 6: Accidental Release Measures

6.1 Person-related safety precautions

- Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources
- of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors
- can accumulate in low areas.

6.2 Measures for environmental protection

- Prevent further leakage or spillage if safe to do so. Do not let enter drains. Discharge into the environment must be
- avoided.

6.3 Measures for containment and cleaning

- Contain spillage, and then collect with non-combustible absorbent material (eg. sand, diatomaceous earth, vermiculite).
- Place in a container for disposal according to local regulations. Pick up and arrange disposal without creating dust. Sweep
- up and shovel. Keep in suitable, closed containers for disposal. Sweep up and shovel. Contain spillage, and then collect
- with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local
- regulations (see section 13). Keep in suitable, closed containers for disposal.

Section 7: Handling and Storage

7.1 Handling

- Wear appropriate protective clothing and safety gloves.
- Avoid inhalation.
- Avoid contact with eyes, skin and clothing.
- Mechanical exhaust required.
- Keep away from ignition sources, heat and flame.
- No smoking at working site.
- **Incompatibilities:** Strong oxidizing agents, Strong acids. Handling and unloading should be light, to prevent packaging broken,
- damp and cause losses.
- Working place should be equipped with appropriate varieties and quantities of fire fighting equipment and leakage
- emergency treatment equipment.

7.2 Storage

- Store in cool place. Keep container tightly closed in a dry and well-ventilated place.
- Keep away from heat, sparks and flame.
- Keep away from sources of ignition.
- **Incompatible:** Strong oxidizing agents, Strong acids.
- Storage place should be equipped with appropriate varieties and quantities of fire fighting equipment and leakage
- emergency treatment equipment.

Section 8: Exposure Controls/Personal Protection

8.1 Engineering Controls

- Mechanical exhaust required. Safety shower and eye bath.

8.2 Personal Protective Equipment

- **Respiratory:** Government approved respirator if needed.
- **Eye/face:** Chemical safety goggles if needed.
- **Clothing:** Wear appropriate protective clothing.
- **Hand/skin:** Protective gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.
- **Body protection:** Wear suitable protective clothing according to the concentration and amount of the substance at the workplace.

8.3 Other Protect

- No smoking, drinking and eating at working site. Wash thoroughly after handling.

Section 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

- a) Physical state clear, liquid
- b) Color clear
- c) Odor odorless
- **d) Melting point/freezing point:** Melting point/range: 16-19 °C
- **e) Initial boiling point and boiling range:** 189 °C
- **f) Flammability (solid,gas):** No data available
- g) Upper/lower flammability or explosive limits
- **Upper explosion limit:** 28.5 %(V)
- **Lower explosion limit:** 2.6 %(V)
- h) Flash point 87 °C-closed cup-ASTM D 93
- **i) Autoignition temperature:** 300-302 °C at 1,013 hPa
- j) Decomposition temperature > 190 °C
- k) pH Not applicable
- **l) Viscosity Viscosity, kinematic:** No data available
- **Viscosity, dynamic:** 2.14 mPa.s at 20 °C
- m) Water solubility completely miscible
- **n) Partition coefficient:** n-octanol/water: log Pow: -1.35 at 20 °C-Bioaccumulation is not expected.
- o) Vapor pressure 0.55 hPa at 20 °C
- p) Density 1.1 g/mL
- Relative density No data available
- **q) Relative vapor density:** No data available
- **r) Particle characteristics:** No data available
- **s) Explosive properties:** Not classified as explosive.
- t) Oxidizing properties none

9.2 Other safety information

- Surface tension 43.5 mN/m at 20 °C

- Dissociation constant 35.1
- **Relative vapor density:** 2.70-(Air = 1.0)

Section 10: Stability and Reactivity

10.1 Reactivity

- No data available

10.2 Chemical stability

- Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

- No data available

10.4 Conditions to avoid

- Heat, flames and sparks

10.5 Incompatible materials

- Strong oxidizing agent, Light sensitive, Alcohols, Organic materials, Heavy metals, Powdered metals, Strong reducing agents, Amines, Mercaptans.

10.6 Hazardous decomposition products

- **Other decomposition products:** No data available
- **Hazardous decomposition products formed under fire conditions:** Carbon oxides, Nitrogen oxides (NO_x), Sulphur oxides,
- Hydrogen chloride gas.

Section 11: Toxicological Information

11.1 Information on toxicological effects

- Acute toxicity
- LD50 Oral-Rat-male and female-28,300 mg/kg
- (OECD Test Guideline 401)
- LC0 Inhalation-Rat-male and female-4 h-> 5.33 mg/l-dust/mist
- (OECD Test Guideline 403)
- LD50 Dermal-Rat-male and female-40,000 mg/kg
- **Remarks:** (ECHA)
- Skin corrosion/irritation
- Skin-Rabbit
- **Result:** slight irritation-4 h
- (OECD Test Guideline 404)
- Serious eye damage/eye irritation
- Eyes-Rabbit
- **Result:** slight irritation-24 h
- (OECD Test Guideline 405)
- Respiratory or skin sensitization
- Maximization Test-Guinea pig
- **Result:** negative
- (OECD Test Guideline 406)
- Local lymph node assay (LLNA)-Mouse
- **Result:** negative

- (OECD Test Guideline 429)
- Germ cell mutagenicity
- **Test Type:** Ames test
- **Test system:** Salmonella typhimurium
- **Metabolic activation:** with and without metabolic activation
- **Method:** OECD Test Guideline 471
- **Result:** negative
- **Test Type:** sister chromatid exchange assay

Section 12: Ecological Information

12.1 Toxicity

- Toxicity to fish static test LC50-Danio rerio (zebra fish)-> 25,000 mg/l-96 h(OECD Test Guideline 203)
- Toxicity to daphnia and other aquatic invertebrates
- static test EC50-Daphnia magna (Water flea)-24,600 mg/l-48 h(OECD Test Guideline 202)
- Toxicity to algae static test ErC50-Pseudokirchneriella subcapitata (green algae) -17,000 mg/l-72 h(OECD Test Guideline 201)
- Toxicity to bacteria EC50-activated sludge-10-100 mg/l-30 min(ISO 8192)

12.2 Persistence and degradability

- Biodegradability aerobic-Exposure time 28 d
- **Result:** 31 %-Not readily biodegradable.(OECD Test Guideline 301D)

12.3 Bioaccumulative potential: No data available

12.4 Mobility in soil: No data available

12.5 Results of PBT and vPvB assessment: PBT/vPvB assessment not available as chemical safety assessment not

- required/not conducted

12.6 Endocrine disrupting properties: No data available

12.7 Other adverse effects

- Stability in water-0.12-1.2 h at 30 °C pH 7
- **Remarks:** Hydrolyzes readily.

Section 13: Disposal Considerations

13.1 Disposal methods

- Dispose of waste in accordance to applicable national, regional, or local regulations. Burn in a chemical incinerator
- equipped with an afterburner and scrubber b highly flammable. Offer surplus and non-recyclable solutions to a licensed
- disposal company. Contact a licensed professional waste disposal service to dispose of this material.

13.2 Contaminated packaging

- Dispose in the same manner as unused product.

Section 14: Transport Information

- **RID/ADR:** Non-Hazardous for Transport: This substance is considered to be non-hazardous for transport.

- **IATA:** Non-Hazardous for Air Transport.
- **IMO:** Non-Hazardous for Sea Transport.

Section 15: Regulatory Information

This material safety data sheet complies with the requirements of Regulation (EC) No. 1272/2008 and its amendments.

Section 16: Other Information

Copyright © 2020 Assay Genie, a Reagent Genie Ireland limited Brand

This company shall not be held liable for any damage resulting from handling or from contact with the above product. This material must only be handled by suitably qualified experienced scientists in appropriately equipped and authorized facilities. The above information is believed to be correct but does not purport to be all inclusive and should be used as a guide only for experienced personnel. Always consult your safety advisor and follow appropriate local and national safety legislation. The absence of warning must not, under any circumstance, be taken to mean that no hazard exists.

Last reviewed: 07/2026

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End Of MSDS